

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name	ALFOL 810 Alcohol		
Synonyms	Linear Primary Alcohol Mixture		
Use	Industrial & Institutional cleaning, Industrial use, Lubricants, Oilfield, Paint and Coatings		
Company Address	Sasol Chemicals (USA) LLC (an affiliate of Sasol Chemicals North America LLC) 12120 Wickchester Lane, Houston, TX 77079		
Telephone	CHEMTREC North America Transportation Emergency (24-hr) CHEMTREC World Wide	(800) 424 9300 (703) 527-3887	
	Other Emergencies (24-hr)	(337) 494 5142	
	SDS and Product Information (8:00am-4:30pm CST)	(281) 588 3491	
	Health and Safety Information (7:30am-4:00pm CST)	(281) 588 3492	
E-mail address	SasolElectronicSDS@us.sasol.com		

SECTION 2 HAZARDS IDENTIFICATION

OSHA/GHS	Flammable liquids	Category 4
Hazards	Eye irritation	Category 2A
	Skin irritation	Category 2
	Chronic aquatic toxicity	Category 3

LABEL ELEMENTS

Hazard symbols



Signal word Warning

Hazard statements H227 Combustible liquid.

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

PreventionP210Keep away from open flames/hot surfaces. - No smoking.P280Wear protective gloves/ eye protection/ face protection.



P264 Wash skin thoroughly after handling.

P273 Avoid release to the environment.

Response P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

Storage P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	<u>CAS-No.</u>	Weight percent
1-Decanol	112-30-1	30 - 90
1-Octanol	111-87-5	10 - 70

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

SECTION 4 FIRST AID MEASURES

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

- **Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.
 - **Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately.
 - **Ingestion** If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

SECTION 5 FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES

Fire/explosion May be ignited by open flame. NFPA Class IIIA combustible liquid.

Suitable Water spray, Alcohol-resistant foam, Dry chemical, Carbon dioxide (CO2)



extinguishing media

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit. Keep containers and surroundings cool with water spray.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Methods and
materials for
containment and
cleaning upEvacuate personnel to safe areas. Remove all sources of ignition. Contain spillage, and
then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous
earth, vermiculite) and place in container for disposal according to local / national
regulations (see section 13). Do not flush into surface water or sanitary sewer system.

Spill precautions Material can create slippery conditions.

SECTION 7 HANDLING AND STORAGE

Safe handling advice Ensure all equipment is electrically grounded before beginning transfer operations.

Storage/Transport Ambient pressure

Load/Unload 10 - 54 °C temperature 50 - 130 °F

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Ensure adequate ventilation, especially in confined areas.

PERSONAL PROTECTIVE EQUIPMENT

Eyes Wear as appropriate: Goggles, Face-shield

- Skin Wear suitable protective clothing, gloves and eye/face protection.
- **Inhalation** Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

EXPOSURE GUIDELINES

<u>Components</u> <u>Exposure limit(s)</u> **1-Octanol** AIHA WEEL (8-hour) 50 ppm 265 mg/m3

PEL=	Permissible Exposure Limits	TWA=	Time Weighted Average (8 hr.)
	Threshold Limit Value		Short Term Exposure Limit (15 min.)
EL=	Excursion Limit	VVEEL=	Workplace Environmental Exposure Level



SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	liquid;	
Colour	colourless	
Form	liquid	
Odour	sweet pungent	
Odour Threshold	No data available	
Flash point	82 - 95 °C, 180 - 203 °F; ASTM D 93;	
Flammability	Upper explosion limit: approximately 5.3 %(V)	
	Lower explosion limit: approximately 0.8 %(V)	
Boiling point/boiling range	204 - 238 °C, 400 - 460 °F;	
Melting point/range	< -20 °C, < -4 °F;	
Auto-ignition temperature	260 °C, 500 °F;	
Decomposition temperature	No data available	
Flammability (solid, gas)	No data available	
Vapour pressure	0.66 mm Hg @ 24 °C, 75 °F;	
Vapour density	4.5 - 5.5	
Density	0.822 g/cm3 @ 20 °C, 68 °F;	
Relative density	No data available	
Water solubility	insoluble	
Viscosity	5.45 cSt @ 40 °C, 104 °F;	
рН	No data available	
Evaporation rate	No data available	



Partition coefficient: n- No data available octanol/water

SECTION 10 STABILITY AND REACTIVITY

Reactivity	Stable at normal ambient temperature and pressure.
Chemical stability	No decomposition if stored and applied as directed.
Conditions to avoid	Keep away from heat and sources of ignition.
Hazardous decomposition products	Combustion products include carbon dioxide, carbon monoxide and possibly other unidentified organic compounds.
Materials to avoid	Can react with strong oxidizers, inorganic acids, and halogens.
Hazardous polymerisation	None.

SECTION 11 TOXICOLOGICAL INFORMATION

Additional Remarks The toxicological data has been taken from products of similar composition.

Acute dermal toxicity LD50 Rabbit: > 2,000 mg/kg Test substance: 1-octanol

> LD50 Rabbit: 2,000 - 4,000 mg/kg Test substance: 1-decanol

Acute inhalation
toxicityRat (4 hours): > 5.6 mg/l; dust/mist
Test substance: 1-octanol

Rat (1 hours): > 71 mg/l; dust/mist Test substance: 1-decanol All rats survived at indicated concentration.

Acute oral toxicity LD50 Rat: > 5,000 mg/kg Test substance: 1-octanol

> LD50 Rat: > 20,000 mg/kg Test substance: 1-decanol

SkinPrimary irritation (Rabbit): 5.3 (Max. score is 8.0.)corrosion/irritationTest substance: 1-octanol



	Primary irritation (Rabbit): 5.1 (Max. score is 8.0.) Test substance: 1-decanol
Serious eye damage/eye irritation	Primary irritation (Rabbit): 72 hours; 52.3 (Max. score is 110.) Test substance: 1-octanol Corneal damage remained at 72 hours, the last day of observation
	Primary irritation (Rabbit): 72 hours; 46 (Max. score is 110.) Test substance: 1-decanol (unwashed eyes)
Respiratory or skin sensitisation	No data available
Germ cell mutagenicity	Genotoxicity in vitro : No data available
	Genotoxicity in vivo : No data available
	Assessment Mutagenicity: No data available
Reproductive toxicity	Reproductive toxicity: No data available
	Assessment Reproductive toxicity: No data available
	Teratogenicity : No data available
	Assessment teratogenicity: No data available
STOT - single exposure	No data available
STOT - repeated exposure	No data available
Aspiration toxicity	No data available
Carcinogenicity	Assessment carcinogenicity: Contains no ingredient listed as a carcinogen



SECTION 12 ECOLOGICAL INFORMATION

Aquatic toxicity	Harmful to aquatic life with long lasting effects.
Toxicity to fish	LC50 (Pimephales promelas (fathead minnow)) 96 hours: > 10 - 100 mg/l; flow-through test Test substance: 1-octanol (literature value)
	LC50 (Pimephales promelas (fathead minnow)) 96 hours: > 1 - 10 mg/l; flow-through test Test substance: 1-decanol (literature value)
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 24 hours: > 1 - 10 mg/l; static test Test substance: 1-octanol (literature value)
	LC50 (Nitocra spinipes) 96 hours: > 1 - 10 mg/l; static test Test substance: 1-decanol (literature value)
Toxicity to algae	ErC50 (Desmodesmus subspicatus (green algae)) 48 hours: > 10 - 100 mg/l; OECD Test Guideline 201 Test substance: 1-octanol (literature value)
	EC50 (algae) 72 hours: > 1 - 10 mg/l Test substance: 1-decanol (literature value) Category approach
Chronic toxicity to fish	EC10 (Pimephales promelas (fathead minnow)) 33 d: > 0.1 - 1 mg/l; flow-through test Test substance: 1-decanol (literature value)
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia magna (Water flea)) 21 d: > 0.1 - 1 mg/l; semi-static test; OECD Test Guideline 211 Test substance: 1-octanol (literature value)
	NOEC (Daphnia magna (Water flea)) 21 d: > 0.1 - 1 mg/l; semi-static test; OECD Test Guideline 211 Test substance: 1-decanol (literature value)
Biodegradation	Readily biodegradable. OECD Test Guideline 301B (28 d): > 60 %



Test substance: 1-octanol (literature value)

OECD Test Guideline 301B (28 d): > 60 % Test substance: 1-decanol (literature value)

Bioaccumulative potential	No data available
Mobility in soil	No data available
Other adverse effects	No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Code Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with state and federal (40 CFR 262) hazardous waste regulations.

Disposal methods Dispose of only in accordance with local, state, and federal regulations.

Empty containers. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

SECTION 14 TRANSPORT INFORMATION

DOT NA 1993, Combustible liquid n.o.s., (Octanol), III This product is regulated as a hazardous material according to the Department of Transportation only in bulk quantities (greater than 119 gallons per package).

- IATA not regulated
- **IMDG** not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks No data available

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA Inventory Listing Components

1-Decanol 112-30-1 1-Octanol 111-87-5 All chemical substances in this product are either on the TSCA Active Inventory, or in compliance with the inventory.

SARA 302 Status Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Classification

Should this product meet EPCRA 311/312 Tier reporting criteria of 40 CFR 370, refer to Section 2 of this SDS for appropriate classification and Section 3 for components that meet the hazardous classification.

SARA 313 Chemical

Components CAS-No. Weight percent This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Com	ponents
none	

INTERNATIONAL REGULATIONS

WHMIS Classification

Flammable liquids	Category 4
Eye irritation	Category 2A
Skin irritation	Category 2
Chronic aquatic toxicity	Category 3

European Union

Classification according to Regulation (EU) 1272/2008.

Eye irritation, Category 2 Skin irritation, Category 2 Chronic aquatic toxicity, Category 3

Australia. Inventory of Chemical Substances (AICS)

Revision Date 01/14/2020

Listed





CAS-No.

Weight percent

Weight percent

Reportable Quantity

CAS-No.



Japan. Inventory of Existing and New Chemical Substances (ENCS)	Listed
Japan. ISHL - Inventory of Chemical Substances	Listed
Canada. Domestic Substances List (DSL) Inventory	Listed
Canada. Non-Domestic Substance Listing (NDSL)	Not listed
Philippines. Inventory of Chemicals / Chemical Substances (PICCS)	Listed
Korea. Existing Chemicals Inventory (KECI)	Listed
China. Inventory of Existing Chemical Substances (IECSC)	Listed
Mexico. National Inventory of Chemical Substances (INSQ)	Listed
New Zealand. Inventory of Chemical Substances (NZIoC)	Listed
Switzerland. Inventory of Notified New Substances (CHINV)	Listed
Taiwan. National Existing Chemical Inventory (NECI)	Listed

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

STATE REGULATIONS

California Prop. 65 <u>Components</u> none

CAS-No.

SECTION 16 OTHER INFORMATION

HAZARD RATINGS

			Physical Hazard/
	<u>Health</u>	Flammability	Instability
HMIS®	2	2	0
NFPA	2	2	0

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION



SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.