

MARLIPAL® O13/79 Ethoxylate

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name MARLIPAL® O13/79 Ethoxylate
Synonyms Ethoxylated Alcohol, Trideceth-7
Use Anti-foaming agent, Catalyst production, Detergent, Emulsifier, High Tech Industrial Applications, Industrial & Institutional cleaning, Industrial use, Mining, Oilfield, Paint and Coatings, Process material, Raw material for chemical processes, Raw material for industry, Raw material for pharmaceuticals, Solubilizer, Surfactant
Company Sasol Chemicals (USA) LLC
(an affiliate of Sasol Chemicals North America LLC)
Address 12120 Wickchester Lane Houston TX 77079
Telephone CHEMTREC North America Transportation Emergency (24-hr) (800) 424-9300
CHEMTREC World Wide (703) 527-3887
Other Emergencies (24-hr) (337) 494-5142
SDS and Product Information (8:00am-4:30pm CST) (281) 588-3491
Health and Safety Information (7:30am-4:00pm CST) (281) 588-3492
E-mail address SasolElectronicSDS@us.sasol.com

SECTION 2 HAZARDS IDENTIFICATION

GHS Hazards

Serious eye damage

Category 1

LABEL ELEMENTS**Hazard symbols****Signal word** Danger**Hazard statements** H318 Causes serious eye damage.**Precautionary statements****Prevention** P280 Wear eye protection/ face protection.**Response** P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.**Additional advice** This product may contain residual levels of alcohols which, even under normal handling conditions, may smell and irritate the eyes, nose, and throats of some individuals.

MARLIPAL® O13/79 Ethoxylate

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

| <u>Components</u> | <u>CAS-No.</u> | <u>Weight percent</u> |
|----------------------------|----------------|-----------------------|
| Isotridecanol, ethoxylated | 9043-30-5 | >=90 - <95 |
| Water | 7732-18-5 | >5 - <=10 |

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

SECTION 4 FIRST AID MEASURES

- Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.
- Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
- Ingestion** If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

SECTION 5 FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES

Fire/explosion NFPA Class IIIB combustible liquid.

Suitable extinguishing media Water spray, Foam, Dry chemical, Carbon dioxide (CO₂)

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

Further information Keep containers and surroundings cool with water spray. Do not use a solid water stream as it may scatter and spread fire. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up Evacuate personnel to safe areas. Remove all sources of ignition. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush into surface water or sanitary sewer system.

MARLIPAL® O13/79 Ethoxylate

SECTION 7 HANDLING AND STORAGE

Safe handling advice Take precautionary measures against static discharges.

Storage/Transport pressure Ambient

Load/Unload temperature 5 °C
40 °F

Storage and handling materials Suitable: Carbon steel coated with baked phenolic. Any moisture may cause rusting of carbon steel. If product is moisture free, uncoated carbon steel tanks.

Further information on storage conditions Mix thoroughly before use. When stored in the liquid form, ethoxylates should be padded with a dry inert gas, such as nitrogen, to prevent oxygen or air from entering the tank. Prolonged storage in the presence of air or oxygen may cause product degradation. Oxidation is not expected when stored under a nitrogen atmosphere. Inert gas blanket and breathing system needed to maintain color stability. Use dry inert gas having at least -40°C (-40°F) dew point.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Ensure adequate ventilation, especially in confined areas. Trace amounts of ethylene oxide may be present in the product and could accumulate in vapor spaces of storage or transport vessels.

PERSONAL PROTECTIVE EQUIPMENT

Eyes Wear as appropriate: Goggles, Face-shield

Skin Full protective clothing, chemical boots, and chemical gloves. High standards of skin care and personal hygiene should be exercised at all times.

Inhalation Use respirator when performing operations involving potential exposure to vapour of the product. Use NIOSH approved respiratory protection.

EXPOSURE GUIDELINES

There are no exposure limits established for this product. Trace amounts of ethylene oxide may be present in this product., The ethylene oxide in this product is not expected to result in significant exposures or present a health hazard.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid;

Colour Clear, colorless

Form liquid

Odour mild

MARLIPAL® O13/79 Ethoxylate

| | |
|---|--|
| Odour Threshold | no data available |
| Flash point | Not applicable |
| Flammability | Upper explosion limit: no data available Lower explosion limit: no data available |
| Boiling point/boiling range | Not applicable |
| Melting point/range | < -10 °C, 14 °F; |
| Auto-ignition temperature | no data available |
| Decomposition temperature | no data available |
| Flammability (solid, gas) | no data available |
| Vapour pressure | Not applicable |
| Vapour density | no data available |
| Density | 0.99 g/cm ³ @ 20 °C, 68 °F; |
| Specific gravity | no data available |
| Water solubility | completely miscible |
| Viscosity | no data available |
| Viscosity, dynamic | 120 mPa.s @ 20 °C, 68 °F; |
| pH | 5 - 7 |
| Evaporation rate | no data available |
| Partition coefficient: n-octanol/water | no data available |

SECTION 10 STABILITY AND REACTIVITY

| | |
|---------------------------|---|
| Reactivity | Stable at normal ambient temperature and pressure. |
| Chemical stability | No decomposition if stored and applied as directed. |

**MARLIPAL® O13/79 Ethoxylate**

| | |
|---|--|
| Conditions to avoid | Reacts slowly with air or oxygen. Storage under heated conditions in the presence of air or oxygen increases reaction rate. For example, after storing at 95°F/35°C for 30 days in the presence of air, there is measureable oxidation of the ethoxylate. Lower temperatures will allow for longer storage time and higher temperatures will shorten the storage time if stored under an air or oxygen atmosphere. |
| Hazardous decomposition products | When storing this product in air or oxygen, decomposition may occur, generating vapors which could be irritating. Ensure adequate ventilation, especially in confined areas. Oxidation is not expected when stored under a nitrogen atmosphere. |
| Materials to avoid | Can react with strong oxidizers, inorganic acids, and halogens. |
| Hazardous polymerisation | None. |

SECTION 11 TOXICOLOGICAL INFORMATION

| | |
|--|--|
| Additional Remarks | Information given is based on data obtained from similar substances. |
| Acute dermal toxicity | LD50 Rabbit: > 2,000 mg/kg(literature value) |
| Acute inhalation toxicity | no data available |
| Acute oral toxicity | LD50 Rat: > 2,000 mg/kg (literature value) |
| Skin corrosion/irritation | (Rabbit) Not irritating, (literature value) |
| Eye damage/irritation | (Rabbit) Irreversible effects on the eye, (literature value) |
| Respiratory or skin sensitization | Guinea pig: not sensitizing; Maximisation Test (literature value) |
| Germ cell mutagenicity | Genotoxicity in vitro: Result: In vitro tests did not show mutagenic effects (literature value) Genotoxicity in vivo: Result: In vivo tests did not show mutagenic effects (literature value) Assessment Mutagenicity: no data available Based on available data, the classification criteria are not met. |
| Reproductive toxicity | Reproductive toxicity: Rat; NOAEL (parents): > 250 mg/kg NOAEL (F1): > 250 mg/kg NOAEL (F2): > 250 mg/kg |

MARLIPAL® O13/79 Ethoxylate

(literature value)

Assessment Reproductive toxicity:

Based on available data, the classification criteria are not met.

Teratogenicity:

Rat; Oral;

NOAEL (teratogen): > 50 mg/kg

NOAEL (maternal): 50 mg/kg

(literature value)

Rat; Dermal;

NOAEL (teratogen): > 250 mg/kg

NOAEL (maternal): 250 mg/kg

(literature value)

Assessment teratogenicity:

Based on available data, the classification criteria are not met.

STOT - single exposure The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure Rat; Oral; Two-year;
NOAEL: 50 mg/kg
(literature value)
Target Organs: Heart, Liver, Kidney
Symptoms: reduced body weight gain, increased relative organ weights
The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity Not applicable

Carcinogenicity Assessment carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

SECTION 12 ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Cyprinus carpio (Carp)) 96 hours: > 1 - 10 mg/l; flow-through test; OECD Test Guideline 203
(literature value)

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) 48 hours: > 1 - 10 mg/l; static test; OECD Test Guideline 202
(literature value)

Toxicity to algae EC50 (Desmodesmus subspicatus (green algae)) 72 hours: > 1 - 10 mg/l; static test; OECD Test Guideline 201
(literature value)

Chronic toxicity to fish no data available

**MARLIPAL® O13/79 Ethoxylate**

| | |
|--|---|
| Chronic toxicity to aquatic invertebrates | no data available |
| Toxicity to bacteria | EC50 (activated sludge) : 140 mg/l (literature value) |
| Biodegradation | Readily biodegradable OECD Test Guideline 301F (28 d): > 60 % Test substance: C13-8 Ethoxylate (10 day window met) |
| Bioaccumulation | Bioaccumulation is unlikely., (literature value) |
| Mobility in soil | Adsorption/Soil; QSAR Koc: > 5000 immobile, (literature value) |
| Other adverse effects | no data available |

SECTION 13 DISPOSAL CONSIDERATIONS

| | |
|--------------------------|--|
| Waste Code | Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with state and federal (40 CFR 262) hazardous waste regulations. |
| Disposal methods | Dispose of only in accordance with local, state, and federal regulations. |
| Empty containers. | Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed. |

SECTION 14 TRANSPORT INFORMATION

| | |
|-------------|--|
| DOT | UN 3082, Environmentally hazardous substance, liquid, n.o.s.(Alcohol C12-16 poly (1-6) ethoxylate), 9, III , Marine pollutant This product is regulated as a hazardous material according to the Department of Transportation only in bulk quantities (greater than 119 gallons per package). |
| IATA | Not regulated. |
| IMDG | Not regulated. |

**MARLIPAL® O13/79 Ethoxylate**

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks no data available

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS**OSHA Hazards (HCS 1994)**

Eye irritant

TSCA Inventory Listing**Components**

Poly(oxy-1,2-ethanediyl), a-isotridecyl-w-hydroxy-
Water

CAS-No.

9043-30-5
7732-18-5

SARA 302 Status**Components****CAS-No.****Weight percent**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Classification

"Immediate (acute) health hazard"

SARA 313 Chemical**Components****CAS-No.****Weight percent**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US. EPA CERCLA Hazardous Substances (40 CFR 302)**Components****Reportable Quantity****Weight percent**

none

INTERNATIONAL REGULATIONS**WHMIS Classification**

Class E. Corrosive material.

European Union

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Classification according to Regulation (EU) 1272/2008.

Serious eye damage, Category 1

Australia. Inventory of Chemical Substances (AICS)

Listed

Japan. Inventory of Existing and New Chemical Substances (ENCS)

Listed

**MARLIPAL® O13/79 Ethoxylate**

| | |
|--|------------|
| Japan. Industrial Safety & Health Law (ISHL) Inventory | Listed |
| Canada. Domestic Substances List (DSL) Inventory | Listed |
| Canadian Non-Domestic Substance Listing (NDSL) | Not listed |
| European Inventory of Existing Commercial Chemical Substances (EINECS) Listing | Listed |
| Philippines. Inventory of Chemicals / Chemical Substances (PICCS) | Listed |
| Korea. Existing Chemicals Inventory (KECI) | Listed |
| China. Inventory of Existing Chemical Substances (IECSC) | Listed |
| Mexico. National Inventory of Chemical Substances (INSQ) | Not listed |
| New Zealand. Inventory of Chemicals (NZIoC) | Listed |
| Switzerland. Inventory of Notified New Substances (CHINV) | Listed |
| Taiwan. National Existing Chemical Inventory (NECI) | Listed |

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

STATE REGULATIONS**California Prop. 65****Components**

Ethylene Oxide

CAS-No.

75-21-8

Sasol Chemicals (USA) LLC's ethoxylates may contain detectable quantities of ethylene oxide which is a chemical on the California Proposition 65 list. The level is typically below 1.0 ppm, although it may vary. The manufacturing process is controlled to reduce the residual ethylene oxide content.

SECTION 16 OTHER INFORMATION

HAZARD RATINGS

| | <u>Health</u> | <u>Flammability</u> | <u>Physical Hazard/ Instability</u> |
|--------------|---------------|---------------------|---|
| HMIS® | 3 | 1 | 0 |
| NFPA | 3 | 1 | 0 |

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH



MARLIPAL® O13/79 Ethoxylate

SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.
