Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle [™] 300 AF-PL polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 879250	Version: 1.4

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

:

Product identifier

Trade name

Aquastyle[™] 300 AF-PL polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Cosmetic additive

Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216	Emergency telephone number 1-800-ASHLAND (1-800-274-5263) Regulatory information 1-614-790-3333 (customer service)
United States of America (USA) 1-614-790-3333	Product Information 1-614-790-3333
EHSProductSafety@ashland.com	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	organic

Hazardous components

No hazardous ingredients

Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle [™] 300 AF-PL polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 879250	Version: 1.4

SECTION 4. FIRST AID MEASURES

General advice If inhaled		No hazards which require special first aid measures. If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye.
If swallowed	:	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	The most important known symptoms and effects are described in the labelling (see Section 2.2) and/or Section 11.
Notes to physician	:	No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Specific hazards during firefighting	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx)
Specific extinguishing methods	:
Further information	 Product is compatible with standard fire-fighting agents. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 00000244446
Aquastyle™ 300 AF-PL polymer	Version: 1.4
[™] Trademark, Ashland or its subsidiaries, registered	
in various countries	
879250	

Personal precautions, protective equipment and emergency procedures	ersons not wearing protective equipment sho om area of spill until clean-up has been com	
Environmental precautions	revent product from entering drains. revent further leakage or spillage if safe to d the product contaminates rivers and lakes o espective authorities.	
Methods and materials for containment and cleaning up	eep in suitable, closed containers for dispos	al.
Other information	omply with all applicable federal, state, and	ocal regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.
Conditions for safe storage	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Materials to avoid	:	No materials to be especially mentioned.
Further information on storage stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters Contains no substances with occupational exposure limit values.

Engineering measures :	General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.
Personal protective equipment Respiratory protection :	In the case of vapour formation use a respirator with an approved filter within the capabilities of the respirator/filter combination. Where concentrations are above recommended limits or are

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle [™] 300 AF-PL polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 879250	Version: 1.4

	unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.
Hand protection Material	· butul rubbor
Break through time	: butyl-rubber : 480 min
Glove thickness	: > 0.5 mm
Remarks	: The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	 Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Skin and body protection	 Wear as appropriate: Safety shoes Wear resistant gloves (consult your safety equipment supplier).
Hygiene measures	: General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical state Colour Odour Odour Threshold pH	 liquid liquid yellow characteristic No data available 7.2 - 8.5
Melting point/freezing point Boiling point/boiling range	: not determined : 212 °F / 100 °C
Flash point	: not determined
Evaporation rate	: not determined
Upper explosion limit	: Upper explosion limit
Lower explosion limit	not determined : Lower explosion limit not determined
Vapour pressure	: not determined
Relative vapour density	: not determined
Relative density	: No data available

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle [™] 300 AF-PL polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 879250	Version: 1.4

Density	: 1.05 g/cm3 (25 °C)
Solubility(ies) Water solubility	: not determined
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Oxidizing properties	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	 No decomposition if stored and applied as directed. Stable under recommended storage conditions. Product will not undergo hazardous polymerization.
Incompatible materials Hazardous decomposition	: reactive metals such as aluminum and magnesium
products	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Eye Contact Ingestion			
Acute toxicity				
Not classified based on available information.				
Skin corrosion/irritation				
Not classified based on available information.				
Serious eye damage/eye irrita	ation			
Not classified based on available information.				
Product:				
Remarks: Unlikely to cause eye	e irritation or injury.			

Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle™ 300 AF-PL polymer	Version: 1.4
[™] Trademark, Ashland or its subsidiaries, registered	
in various countries	
879250	

Respiratory or skin sensitisationSkin sensitisation: Not classified based on available information.Respiratory sensitisation: Not classified based on available information.Germ cell mutagenicityNot classified based on available information.CarcinogenicityNot classified based on available information.Reproductive toxicityNot classified based on available information.Reproductive toxicityNot classified based on available information.STOT - single exposureNot classified based on available information.STOT - repeated exposureNot classified based on available information.STOT - repeated exposureNot classified based on available information.Further information toxicityNot classified based on available information.Further informationProduct:Remarks: No data available			
Carcinogenicity: IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.		
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.		
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity <u>Product:</u> Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: Acute aquatic toxicity Category 3; Harmful to aquatic life.
Long-term (chronic) aquatic hazard	: Chronic aquatic toxicity Category 3; Harmful to aquatic life with long lasting effects.

Persistence and degradability No data available

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle [™] 300 AF-PL polymer	Version: 1.4
[™] Trademark, Ashland or its subsidiaries, registered	
in various countries	
879250	

Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
No data available	
Product:	
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life
	with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
General advice	: The product should not be allowed to enter drains, water courses or the soil.
	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	: Empty remaining contents.
	Dispose of as unused product.
	Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
		CLASS	HAZARDS	GROUP	POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods	

CFR_RAIL_C

No	t dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle [™] 300 AF-PL polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 879250	Version: 1.4

TDG_RAIL_C

Not dangerous goods

TDG_INWT_C

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

TSCA list

No substances are subject to TSCA 12(b) export notification requirements.

no

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Ashland always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle [™] 300 AF-PL polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 879250	Version: 1.4

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: No SARA Hazards
SARA 302	: This material does not contain any components with a section 302 EHS TPQ.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania F	Right To Know WATER 1-Dodecanaminium, N,N-dimethyl-N-[3-[(2- methyl-1-oxo-2-propenyl)amino]propyl]-, chloride, polymer with N-[3- (dimethylamino)propyl]-2	7732-18-5 748809-45-2
New Jersey Riç	ght To Know WATER 1-Dodecanaminium, N,N-dimethyl-N-[3-[(2- methyl-1-oxo-2-propenyl)amino]propyl]-, chloride, polymer with N-[3- (dimethylamino)propyl]-2	7732-18-5 748809-45-2

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:TSCA: This product is regulated under the United States Food a Drug Act (FDA).	
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory


Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle [™] 300 AF-PL polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 879250	Version: 1.4

ENCS	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
IECSC	: Low volume exemption
PICCS	: Not in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA) - On or in compliance with the active portion of the TSCA inventory

SECTION 16. OTHER INFORMATION



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of H-Statements

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle [™] 300 AF-PL polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 879250	Version: 1.4

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (http://www.ashland.com)

Sources of key data used to compile the Safety Data Sheet	:	Ashland internal data including own and sponsored test reports European Union Law with content from the Official Journal of the European Union. European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies. The German Water Hazard Classes. ReachCentrum; a series of support services to help comply with REACH regulations.
---	---	---

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 08/11/2020
	Print Date: 10/29/2020
	SDS Number: 000000244446
Aquastyle [™] 300 AF-PL polymer [™] Trademark, Ashland or its subsidiaries, registered in various countries 879250	Version: 1.4

The European Commission; proposing legislation, administering and implementing EU policies, and enforcing EU law. The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport. Cefic, the European Chemical Industry Council. ESIS European Chemical Substances Information System

Revision Date

: 08/11/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. US / EN