<b>P</b> Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate  ™ Trademark, Ashland or its subsidiaries, registered in various countries  954919	Version: 1.1

29 CFR 1910.1200 (OSHA HazCom 2012)

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier** 

Trade name : Captivates™ GL21885

encapsulate

™ Trademark, Ashland or its subsidiaries, registered in

various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Personal care

Details of the supplier of the safety data sheet

Emergency telephone number 1-800-ASHLAND (1-800-274-5263)

Ashland P.O. Box 2219

Columbus, OH 43216

Columbus, On 43216

United States of America (USA)

1-614-790-3333

Regulatory information

1-614-790-3333 (customer service)

**Product Information** 

1-614-790-3333

EHSProductSafety@ashland.com

### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Not a hazardous substance or mixture.

## **GHS** label elements

Not a hazardous substance or mixture.

### Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components** 

Chemical name	CAS-No.	Classification	Concentration (%)
Cilcinioa name	0/10/110.	Ciassilloation	

PAshland always solving ™	Page: 2
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
954919	

C.I. PIGMENT BLUE 29		This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).	20.896
----------------------	--	---	--------

#### **SECTION 4. FIRST AID MEASURES**

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

The most important known symptoms and effects are

described in the labelling (see Section 2.2) and/or Section 11.

Notes to physician : No hazards which require special first aid measures.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Ashland always solving ™	Page: 3
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 954919	Version: 1.1

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Silicon oxides Metal oxides

> Carbon dioxide (CO2) Carbon monoxide

Specific extinguishing

methods

•

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Materials to avoid : No materials to be especially mentioned.

Further information on : No decomposition if stored and applied as directed.

PAshland always solving ™	Page: 4
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
954919	

storage stability

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters

Components	CAS-No.	`	Control parameters /	Basis
		exposure)	Permissible concentration	
C.I. PIGMENT BLUE 29	57455-37-5	TWA	1 mg/m3 Respirable particulate matter (Aluminium)	ACGIH

**Engineering measures** : General room ventilation should be adequate for normal

conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known,

suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Wear resistant gloves (consult your safety equipment

supplier).

Wear as appropriate:

<b>P</b> Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate  ™ Trademark, Ashland or its subsidiaries, registered in various countries 954919	Version: 1.1

Safety shoes

Hygiene measures : General industrial hygiene practice.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Hydrogel beads

Physical state : liquid

Colour : blue

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : Not applicable

Evaporation rate : not determined

Flammability (liquids) : not determined

Upper explosion limit : Upper explosion limit

not determined

Lower explosion limit : Lower explosion limit

not determined : not determined

Relative vapour density : not determined

Relative density : No data available

Density : not determined

Solubility(ies)

Vapour pressure

Water solubility : not determined

Solubility in other solvents : No data available

Partition coefficient: n- : not determined

<b>P</b> Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate  ™ Trademark, Ashland or its subsidiaries, registered in various countries  954919	Version: 1.1

octanol/water

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Oxidizing properties : Not applicable

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat

Incompatible materials : Acids

reactive metals such as aluminum and magnesium

Strong oxidizing agents

Hazardous decomposition

products

Sulphur oxides Silicon oxides Carbon monoxide Carbon dioxide (CO2)

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation

exposure

Skin contact Eye Contact

Ingestion

**Acute toxicity** 

Not classified based on available information.

**Components:** 

C.I. PIGMENT BLUE 29:

<b>P</b> Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
954919	

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

C.I. PIGMENT BLUE 29: Result: No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### **Product:**

Remarks: Unlikely to cause eye irritation or injury.

### Components:

C.I. PIGMENT BLUE 29:

Result: Slight, transient irritation

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

**Product:** 

Remarks: No data available

### Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

**Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
954919	

#### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

**Product:** 

**Ecotoxicology Assessment** 

Short-term (acute) aquatic

hazard

: Not classified based on available information.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

**Components:** 

C.I. PIGMENT BLUE 29:

Toxicity to fish : LC50 (Fish): > 32,000 mg/l

Persistence and degradability

Components:

No data available

Bioaccumulative potential

Components:

No data available

Mobility in soil

**Components:** 

No data available

Other adverse effects

No data available

**Product:** 

Additional ecological

information

: No data available

### **Components:**

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

General advice : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Ashland always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate  ™ Trademark, Ashland or its subsidiaries, registered in various countries  954919	Version: 1.1

# International transport regulations

### **REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT /
					LTD. QTY.

### U.S. DOT - ROAD

Not dangerous goods	

### CFR\_RAIL\_C

	Not dangerous goods

## **U.S. DOT - INLAND WATERWAYS**

Not dangerous goods	

# TDG\_ROAD\_C

Not dangerous goods	

# TDG\_RAIL\_C

Not dangerous goods	

# TDG\_INWT\_C

Not dangerous goods	

# INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods	

## **INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Not dangerous goods	

# **INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

Not dangerous goods	

# MX\_DG

<b>P</b> Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 954919	Version: 1.1

Not dangerous goods	

## \*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### **SECTION 15. REGULATORY INFORMATION**

#### **TSCA list**

No substances are subject to TSCA 12(b) export notification requirements.

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

<b>P</b> Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 954919	Version: 1.1

AICS : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

#### **Inventories**


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA) - On or in compliance with the active portion of the TSCA inventory

### **SECTION 16. OTHER INFORMATION**

### **Further information**

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 954919	Version: 1.1

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### **Full text of H-Statements**

### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration;

<b>P</b> Ashland always solving	Page: 13
SAFETY DATA SHEET	Revision Date: 08/28/2020
	Print Date: 11/12/2020
	SDS Number: 000000304587
Captivates™ GL21885 encapsulate ™ Trademark, Ashland or its subsidiaries, registered in various countries 954919	Version: 1.1

NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (http://www.ashland.com)

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

European Union Law with content from the Official Journal of the European Union.

European Chemicals Agency; the EU authority implementing

the EU's chemicals legislation for companies.

The German Water Hazard Classes.

ReachCentrum; a series of support services to help comply

with REACH regulations.

The European Commission; proposing legislation,

administering and implementing EU policies, and enforcing

EU law.

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Cefic, the European Chemical Industry Council.

ESIS European Chemical Substances Information System

Revision Date : 08/28/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. US / EN