

Safety Data Sheet

Copyright, 2020, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 31-6162-7
 Version Number:
 3.06

 Issue Date:
 10/01/20
 Supercedes Date:
 08/20/20

SECTION 1: Identification

1.1. Product identifier

3M[™] Novec[™] 2701 Electronic Grade Coating

Product Identification Numbers

98-0212-4814-5, 98-0212-4815-2, 98-0212-4816-0, 98-0212-4817-8 7100064000, 7100063986, 7100063989, 7010321431

1.2. Recommended use and restrictions on use

Recommended use

Protective Barrier Coating. For Industrial Use Only. Not Intended for Use as a Medical Device or Drug.

Restrictions on use

Approved commercial use(s): Protective coating on electronic components.

3M Electronics Materials Solutions Division (EMSD) will not knowingly sample, support, or sell its products for incorporation in medical and pharmaceutical products and applications in which the 3M product will be temporarily or permanently implanted into humans or animals. The customer is responsible for evaluating and determining that a 3M EMSD product is suitable and appropriate for its particular use and intended application. The conditions of evaluation, selection, and use of a 3M product can vary widely and affect the use and intended application of a 3M product. Because many of these conditions are uniquely within the user's knowledge and control, it is essential that the user evaluate and determine whether the 3M product is suitable and appropriate for a particular use and intended application, and complies with all local applicable laws, regulations, standards, and guidance.

1.3. Supplier's details

MANUFACTURER: 3M

DIVISION: Electronics Materials Solutions Division **ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA

Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

2.2. Label elements

Signal word

Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

2.3. Hazards not otherwise classified

In use, may form flammable/explosive vapour-air mixture.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|--------------------------------|---------------|---------|
| Ethyl nonafluoroisobutyl ether | 163702-06-5 | 54 - 90 |
| Ethyl nonafluorobutyl ether | 163702-05-4 | 9 - 45 |
| Fluorinated polymer | Trade Secret* | < 1.2 |

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No need for first aid is anticipated.

Skin Contact:

Wash with soap and water. If you feel unwell, get medical attention.

Eye Contact:

No need for first aid is anticipated.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Exposure to extreme heat can give rise to thermal decomposition. Material displays no closed-cup flash point but may form flammable/explosive vapor air mixture.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide Carbon dioxide Hydrogen Fluoride **Condition**

During Combustion During Combustion During Combustion

5.3. Special protective actions for fire-fighters

When fire fighting conditions are severe and total thermal decomposition of the product is possible, wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sparks, flames, and extreme heat. Evacuate area. Ventilate the area with fresh air. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Eliminate all potential ignition sources when cleaning up spill. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Store work clothes separately from other clothing, food and tobacco products. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. No smoking: Smoking while using this product can result in contamination of the tobacco and/or smoke and lead to the formation of hazardous decomposition products. Keep away from sparks, flames, and extreme heat.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|--------------------------------|------------|--------------|---------------------------|---------------------|
| Ethyl nonafluorobutyl ether | 163702-05- | Manufacturer | TWA(as total isomers):200 | |
| | 4 | determined | ppm(2160 mg/m3) | |
| Ethyl nonafluoroisobutyl ether | 163702-06- | Manufacturer | TWA(as total isomers):200 | |
| | 5 | determined | ppm(2160 mg/m3) | |

ACGIH: American Conference of Governmental Industrial Hygienists

3MTM NovecTM 2701 Electronic Grade Coating

10/01/20

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Provide ventilation adequate to maintain vapor concentration below lower explosive concentration.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Nitrile Rubber

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid

Color Yellow-Orange

Odor Slight Ether

Odor thresholdNo Data AvailablepHNot ApplicableMelting pointNot Applicable

Boiling Point 78 °C

Flash Point No flash point [Test Method:Closed Cup]

Evaporation rateNo Data Available
Flammability (solid, gas)
Not Applicable

Flammable Limits(LEL) 210 g/m3 [Details: Reference ASTM E681-94] Flammable Limits(UEL) 1070 g/m3 [Details: Reference ASTM E681-94]

Vapor Pressure71 mmHg [@ 20 °C]Vapor DensityNo Data AvailableDensity1.41 g/ml

Specific Gravity

1.41 [Ref Std: WATER=1]

Solubility In Water

Solubility- non-water

No Data Available
No Data Available
Partition coefficient: n-octanol/ water

No Data Available

Autoignition temperature 375 °C

Decomposition temperature

No Data Available

Viscosity 0.76 centipoise [@ 25 °C]

Percent volatile 99 %

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

Sparks and/or flames

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

| <u>Condition</u> | |
|----------------------------|--|
| At Elevated Temperatures - | Extreme conditions |
| of heat | |
| At Elevated Temperatures - | Extreme conditions |
| of heat | |
| At Elevated Temperatures - | Extreme conditions |
| of heat | |
| At Elevated Temperatures - | Extreme conditions |
| of heat | |
| At Elevated Temperatures - | Extreme conditions |
| of heat | |
| At Elevated Temperatures - | Extreme conditions |
| of heat | |
| | At Elevated Temperatures - of heat At Elevated Temperatures - |

Refer to section 5.2 for hazardous decomposition products during combustion.

If the product is exposed to extreme condition of heat from misuse or equipment failure, toxic decomposition products that include hydrogen fluoride and perfluoroisobutylene can occur.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No known health effects.

Skin Contact:

May be harmful in contact with skin.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

May be harmful if swallowed.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Acute Toxicity | | | |
|--------------------------------|-----------------------------------|---------|--|
| Name | Route | Species | Value |
| Overall product | Dermal | | No data available; calculated ATE2,000 - 5,000 mg/kg |
| Overall product | Ingestion | | No data available; calculated ATE2,000 - 5,000 mg/kg |
| Ethyl nonafluoroisobutyl ether | Dermal | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Ethyl nonafluoroisobutyl ether | Inhalation- Vapor (4 hours) | Rat | LC50 > 989 mg/l |
| Ethyl nonafluoroisobutyl ether | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Ethyl nonafluorobutyl ether | Dermal | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Ethyl nonafluorobutyl ether | Inhalation- Vapor (4 hours) | Rat | LC50 > 989 mg/l |
| Ethyl nonafluorobutyl ether | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Fluorinated polymer | Ingestion | Rat | LD50 > 2,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--------------------------------|---------|---------------------------|
| Ethyl nonafluoroisobutyl ether | Rabbit | No significant irritation |
| Ethyl nonafluorobutyl ether | Rabbit | No significant irritation |
| Fluorinated polymer | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Serious Eye Dumuge Himmon | | |
|--------------------------------|---------|---------------------------|
| Name | Species | Value |
| Ethyl nonafluoroisobutyl ether | Rabbit | No significant irritation |
| Ethyl nonafluorobutyl ether | Rabbit | No significant irritation |

Skin Sensitization

| Name | Species | Value |
|--------------------------------|---------|----------------|
| Ethyl nonafluoroisobutyl ether | Guinea | Not classified |
| | pig | |
| Ethyl nonafluorobutyl ether | Guinea | Not classified |
| | pig | |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--------------------------------|----------|---------------|
| Ethyl nonafluoroisobutyl ether | In Vitro | Not mutagenic |
| Ethyl nonafluoroisobutyl ether | In vivo | Not mutagenic |

| 3M TM Novec TM 2701 Electronic Grade Coating 10/01/20 |
|---|
|---|

| Ethyl nonafluorobutyl ether | In Vitro | Not mutagenic |
|-----------------------------|----------|---------------|
| Ethyl nonafluorobutyl ether | In vivo | Not mutagenic |

Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

Reproductive Toxicity

Reproductive and/or Developmental Effects

| reproductive dia, or Beveloping | circui Directs | | | | |
|---------------------------------|----------------|--------------------------------|---------|-------------|-----------|
| Name | Route | Value | Species | Test Result | Exposure |
| | | | | | Duration |
| Ethyl nonafluoroisobutyl ether | Inhalation | Not classified for development | Rat | NOAEL 260 | during |
| | | - | | mg/l | gestation |
| Ethyl nonafluorobutyl ether | Inhalation | Not classified for development | Rat | NOAEL 260 | during |
| | | _ | | mg/l | gestation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|--------------------------------|------------|------------------------|--|---------|-------------------|----------------------|
| Ethyl nonafluoroisobutyl ether | Inhalation | cardiac sensitization | Some positive data exist, but the data are not sufficient for classification | Dog | NOAEL 204 mg/l | 17 minutes |
| Ethyl nonafluoroisobutyl ether | Inhalation | respiratory irritation | Not classified | Rat | NOAEL 989 mg/l | 4 hours |
| Ethyl nonafluorobutyl ether | Inhalation | cardiac sensitization | Some positive data exist, but the data are not sufficient for classification | Dog | NOAEL 204 mg/l | 17 minutes |
| Ethyl nonafluorobutyl ether | Inhalation | respiratory irritation | Not classified | Rat | NOAEL 989 mg/l | 4 hours |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|--------------------------------|------------|---|----------------|---------|-----------------------------|----------------------|
| Ethyl nonafluoroisobutyl ether | Inhalation | liver kidney and/or bladder respiratory system heart endocrine system gastrointestinal tract bone marrow hematopoietic system immune system nervous system | Not classified | Rat | NOAEL 263.4 mg/l | 4 weeks |
| Ethyl nonafluoroisobutyl ether | Ingestion | blood liver kidney and/or bladder heart endocrine system bone marrow hematopoietic system immune system nervous system respiratory system | Not classified | Rat | NOAEL 1,000 mg/kg/day | 28 days |
| Ethyl nonafluorobutyl ether | Inhalation | liver kidney and/or bladder respiratory system heart endocrine system gastrointestinal tract bone marrow hematopoietic system immune system nervous system | Not classified | Rat | NOAEL 263.4 mg/l | 4 weeks |

10

| Ethyl nonafluorobutyl | Ingestion | blood liver kidney | Not classified | Rat | NOAEL | 28 days |
|-----------------------|-----------|------------------------|----------------|-----|-----------|---------|
| ether | | and/or bladder | | | 1,000 | |
| | | heart endocrine | | | mg/kg/day | |
| | | system bone | | | | |
| | | marrow | | | | |
| | | hematopoietic | | | | |
| | | system immune | | | | |
| | | system nervous | | | | |
| | | system respiratory | | | | |
| | | system | | | | |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include HF. Facility must be capable of handling halogenated materials. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

| Physical Hazards | |
|------------------|--|
| Not applicable | |

| 3M TM Novec TM 2701 Electronic Grade C | Coating | Grade | Electronic | 701 | M NovecTM | 31 |
|--|---------|-------|------------|-----|-----------|----|
|--|---------|-------|------------|-----|-----------|----|

10/01/20

| Health Hazards | |
|----------------|--|
| Not applicable | |

Additional TSCA Information

| ĺ | Components | CAS No | Additional Information |
|---|---------------------|--------------|-------------------------------------|
| | Fluorinated polymer | Trade Secret | Allowed use(s): Protective coating. |

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. One or more of the components in this material is not listed on the TSCA inventory, but is approved for specific commercial use(s) under a US EPA low volume exemption.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 3 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

The NFPA Health code of 3 is due to emergency situations where the material may thermally decompose and release Hydrogen Fluoride and Perfluoroisobutylene (PFIB). During normal use conditions, please reference Section 2 and Section 11 of the SDS for additional health hazard information.

HMIS Hazard Classification

Health: 1 Flammability: 1 Physical Hazard: 0 Personal Protection: X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

 Document Group:
 31-6162-7
 Version Number:
 3.06

 Issue Date:
 10/01/20
 Supercedes Date:
 08/20/20

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable

- 0 - ...

for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com