# Kao Corporation S.A.

Member of KAO CHEMICALS EUROPE

# **SAFETY DATA SHEET**

# **TETRANYL DM-24**

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier					
is also available in con which can be found in	: TETRANYL DM-24 t relates to the material ment apliance to RSPO rules. In th related order documents, e.g ification number: CU-RSPO : Proprietary mixture.	is case the proc g. invoices and/c	duct nam	ie is fo	
Product code	: 273366	/	/10.06	/F	SES
1.2 Relevant identified user Identified use	s of the substance or mixtues : Detergent.	ure and uses a	dvised a	gains	t
1.3 Details of the supplier of	of the safety data sheet				
Supplier	: Kao Corporation, S.A Puig dels Tudons, 10 Telf. +34 937399 300	- 08210 BARB		_ VALI	LÈS (Barcelona) - SPAIN
E-mail:	: psr@kao.es				
1.4 Emergency telephone	number - FOR EMERGENO	CY USE ONLY			
For ALL TRANSPORT AC international collect calls		A, call CHEMT	REC at 8	00-42	4-9300 or 703-527-3887 for
For ALL TRANSPORT AC 5575-0842	CIDENTS related with Me	xico, call SETIC	Q at 800-	-681-9	531 or (55) 5575-0838 or (55)
Other countries E telephone numbe	· · ·	: +34 93 739	9445		Multi-language
For any questions or indicated in the supp	queries not related to lier's information.	emergencies	s, call t	the te	ephone number

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Product definition Classification Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 : Mixture



See Section 16 for the full text H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

ż

#### 2.2 Label elements

Hazard pictograms



Signal word	:	Warning
Hazard statements	:	Harmful if swallowed or in contact with skin. Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Precautionary statements		
Prevention	:	Wear protective gloves: > 8 hours (breakthrough time): . Wear protective clothing: Recommended: lab coat , overall. Wear eye or face protection: Recommended: splash goggles , safety glasses with side-shields. Avoid release to the environment. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.
Response	:	Collect spillage. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Call a POISON CENTER or doctor if you feel unwell. Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	:	quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates
Supplemental label elements	:	Not applicable.
2.3 Other hazards		
Other hazards which do not result in classification	:	None known.

# **SECTION 3: Composition/information on ingredients**

#### Substance/mixture

: Mixture

Product/ingredient name	CAS no.	%	Classification	Туре
quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates	68002-60-8		Acute Tox. 4, H302 Acute Tox. 3, H311 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	[1]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

#### <u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Protection of first-aiders	No action shall be taken involving any personal risk or without suitable tra may be dangerous to the person providing aid to give mouth-to-mouth re Wash contaminated clothing thoroughly with water before removing it, or gloves.	suscitation.
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper eyelids. Check for and remove any contact lenses. Continue to rinse for minutes. Get medical attention.	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for l not breathing, if breathing is irregular or if respiratory arrest occurs, provi respiration or oxygen by trained personnel. It may be dangerous to the p providing aid to give mouth-to-mouth resuscitation. Get medical attention health effects persist or are severe. If unconscious, place in recovery po get medical attention immediately. Maintain an open airway. Loosen tig such as a collar, tie, belt or waistband.	de artificial person n if adverse sition and
Skin contact	Wash with plenty of soap and water. Remove contaminated clothing and Wash contaminated clothing thoroughly with water before removing it, or gloves. Continue to rinse for at least 10 minutes. Get medical attention. necessary, call a poison center or physician. Wash clothing before reuse shoes thoroughly before reuse.	wear If
Ingestion	Wash out mouth with water. Remove dentures if any. Remove victim to and keep at rest in a position comfortable for breathing. If material has be swallowed and the exposed person is conscious, give small quantities of drink. Stop if the exposed person feels sick as vomiting may be dangered induce vomiting unless directed to do so by medical personnel. If vomiting the head should be kept low so that vomit does not enter the lungs. Get attention. If necessary, call a poison center or physician. Never give any mouth to an unconscious person. If unconscious, place in recovery posi medical attention immediately. Maintain an open airway. Loosen tight cl as a collar, tie, belt or waistband.	een water to bus. Do not ng occurs, medical ything by tion and get

### 4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effect	<u>s</u>
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Harmful in contact with skin. Causes skin irritation.
Ingestion	: Harmful if swallowed.
Over-exposure signs/sympto	<u>oms</u>
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.

.

Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
4.3 Indication of any im	mediate medical attention and special treatment needed
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

# SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising	from	the substance or mixture
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters		
Special precautions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.	

#### 6.3 Methods and materials for containment and cleaning up

	•
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

: Not available.

Recommendations Industrial sector specific solutions

Not available

### Not available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters Occupational exposure limits

Product/ingredient	name	Exposure limit values
Europe		
No exposure limit value known		
United States		
Canada		
No exposure limit value known		
Mexico		
No exposure limit value known		
Brazil		
No exposure limit value known		
Australia		
propylene glycol		Safe Work Australia (Australia, 12/2019). TWA: 10 mg/m³ 8 hours. Form: Particulate TWA: 474 mg/m³ 8 hours. Form: Vapor and particulates TWA: 150 ppm 8 hours. Form: Vapor and particulates
Recommended monitoring	atmosphere or b of the ventilation protective equip the following: E the assessment limit values and atmospheres - C of exposure to c (Workplace atm for the measure	ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness in or other control measures and/or the necessity to use respiratory ment. Reference should be made to monitoring standards, such as uropean Standard EN 689 (Workplace atmospheres - Guidance for of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment themical and biological agents) European Standard EN 482 ospheres - General requirements for the performance of procedures ment of chemical agents) Reference to national guidance nethods for the determination of hazardous substances will also be
2 Exposure controls		
Appropriate engineering	Good general ve contaminants.	entilation should be sufficient to control worker exposure to airborne
ndividual protection measure	<u>s</u>	
Hygiene measures	before eating, si Appropriate tech Wash contamin	rearms and face thoroughly after handling chemical products, moking and using the lavatory and at the end of the working period. nniques should be used to remove potentially contaminated clothing ated clothing before reusing. Ensure that eyewash stations and are close to the workstation location.
Eye/face protection		complying with an approved standard should be used when a risk icates this is necessary to avoid exposure to liquid splashes, mists,
	unless the asse	If contact is possible, the following protection should be worn, ssment indicates a higher degree of protection: chemical splash nmended: splash goggles , safety glasses with side-shields

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. > 8 hours (breakthrough time):
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat, overall
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended:
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Remark	: The penetration-time of the recommended gloves depends not only on the material. Also other factors may have influence on the penetration-time, as their thickness or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

<u>Appearance</u>		
Physical state	1	Liquid.
Color	:	Colorless to light yellow.
Odor	:	Characteristic.
Odor threshold	1	Not available.
рН	1	7 to 9 (Conc. (% w/w): 5)
Melting point	1	Not available.
Initial boiling point and boiling	1	Not available.
range		
Flash point	:	Closed cup: >150°C [MINIFLASH FLP]
Evaporation rate (butyl acetate	:	Not available.
= 1)		
Flammability (solid, gas)	:	Non-flammable in the presence of the following materials or conditions: open
		flames, sparks and static discharge and heat.
Burning time	1	Not applicable.
Burning rate	1	Not applicable.
Upper/lower flammability or	:	Not available.
explosive limits		
Vapor density	1	Not available.
Density	:	1,006 to 1,009 g/cm³ [20°C]
Solubility(ies)	:	Not available.

Partition coefficient: n-octanol/ water	:	Not available.
Decomposition temperature	:	Not available.
Viscosity ( Dynamic )	:	<150 cP (20 °C)
Explosive properties Oxidizing properties	:	Not available. Not available.
Dropping Point 9.2 Other information No additional information.	:	-9 to -7 °C

# **SECTION 10: Stability and reactivity**

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge and heat.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose
quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates	LD50 Dermal	Rabbit	429 mg/kg
	LD50 Oral	Rat	570 mg/kg

**Conclusion/Summary** : Harmful if swallowed. Harmful in contact with skin.

### Acute toxicity estimates

Route	ATE value
Oral	1357,14 mg/kg
	1021,43 mg/kg

### Irritation/Corrosion

<b>Conclusion/Summary</b>	
Skin	: Irritating to skin. 431 <i>In Vitro</i> Skin Corrosion: Human Skin Model Test: Non-corrosive to skin.
Eyes	: Irritating to eyes.
Respiratory	: Not available.
<u>Sensitizer</u>	
<b>Conclusion/Summary</b>	
Skin	: Not available.
Respiratory	: Not available.
<b>Mutagenicity</b>	
<b>Conclusion/Summary</b>	: Not available.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: Not available.

Penneductive toxicity		
Reproductive toxicity		Not available.
Conclusion/Summary		Not available.
<u>Teratogenicity</u>		A
Conclusion/Summary		Not available.
Specific target organ toxicit		
Specific target organ toxicit		repeated exposure)
Potential acute health effect	<u>5</u>	
Inhalation	÷	No known significant effects or critical hazards.
Ingestion	÷	Harmful if swallowed.
Skin contact	4	Harmful in contact with skin. Causes skin irritation.
Eye contact	4	Causes serious eye irritation.
Symptoms related to the phy	<u>/si</u>	cal, chemical and toxicological characteristics
Inhalation	1	No specific data.
Ingestion	1	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Potential chronic health effe	<u>ct</u> :	2
<b>Conclusion/Summary</b>	:	Not available.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity		No known significant effects or critical hazards.
mutagementy		NO KIOWII SIGNIICATI ETECIS OF CHICAI HAZAIOS.
Teratogenicity	÷	No known significant effects or critical hazards.
Teratogenicity	1 1 1	No known significant effects or critical hazards.
Teratogenicity Developmental effects		No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity Developmental effects Fertility effects		No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity Developmental effects Fertility effects Absorption		No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Not available.
Teratogenicity Developmental effects Fertility effects Absorption Distribution	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Not available. Not available.

# **SECTION 12: Ecological information**

Product/ingredient name	Result	Species	Exposure	Test
quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates	Acute EC50 0,0103 mg/l	Algae	72 hours	-
	Acute EC50 0,1001 mg/l	Daphnia	48 hours	-
	Acute LC50 45 mg/l	Fish	96 hours	OECD 203 Fish, Acute Toxicity Test
	Chronic EC10 0,00268 mg/l	Algae	-	-
	Chronic NOEC 0,05 mg/l	Daphnia	-	-

Conclusion/Summary

: Not available.

### 12.2 Persistence and degradability

Product/ingredient name	Test		Resu	t
quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates	OECD 301D Ready Bid Closed Bottle Test	odegradability -	>60 %	- Readily - 28 days
Product/ingredient name	Aquatic half-life	Photolysis		Biodegradability
quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates	-	-		Readily

### 12.3 Bioaccumulative potential

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.
12.5 Other adverse effects	: No known significant effects or critical hazards.
Other information	:

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</li> </ul>
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information					
	ADR/RID	DOT Classification	IMDG	IATA	
14.1 UN number	UN3082	UN3082	UN3082	UN3082	

14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates)	Environmentally hazardous substance, liquid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates). Marine pollutant (quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates)	Environmentally hazardous substance, liquid, n.o.s. (quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates)
14.3 Transport hazard class(es)		9	9	9
14.4 Packing group	111	Ш	Ш	Ш
14.5 Environmental hazards	Yes.	Yes.	Yes.	Yes.
Additional information	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. Hazard identification number 90 Limited quantity 5 L Special provisions 274, 335, 601, 375 Remarks Packaging suitable for liquids.	Non-bulk packages of this product are not regulated as hazardous materials unless transported by inland waterway. This product is not regulated as a hazardous material when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of §§ 173.24 and 173.24a. <u>Limited quantity</u> Yes. <u>Packaging</u> <u>instruction</u> Exceptions: 155. Non- bulk: 203. Bulk: 241. <u>Special provisions</u> 8, 146, 173, 335, IB3, T4, TP1, TP29	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. <u>Emergency</u> <u>schedules</u> F-A, S-F <u>Special provisions</u> 274, 335, 969 <u>Remarks</u> See flow chart supplement IMDG Code	This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8. <b>Quantity limitation</b> Passenger and Cargo Aircraft: 450 L. Packaging instructions: 964. Cargo Aircraft Only: 450 L. Packaging instructions: 964. Limited Quantities - Passenger Aircraft: 30 kg. Packaging instructions: Y964. <b>Special provisions</b> A97, A158, A197

# user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

TETRANYL DM-24

# 14.7 Transport in bulk according to IMO instruments

: Not available.

### **SECTION 15: Regulatory information**

÷

#### National Inventory List

This refers to country inventory status or Kao notifications to specific country inventories. Some countries may have additional importation requirements.

Canada	: All components are listed or exempted.			
China	: All components are listed or exempted.			
Japan	Japan inventory (ENCS): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.			
New Zealand	: All components are listed or exempted.			
Philippines	: All components are listed or exempted.			
Republic of Korea	: All components are listed or exempted.			
Taiwan	: All components are listed or exempted.			
United States	: All components are active or exempted.			
United Otatas, Listad and an Asting marging TOOA sating				

United States - Listed and or Active means TSCA active

#### California Prop. 65

methanol (CAS 67-56-1)

### **SECTION 16: Other information**

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

#### **Classification**

Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Classification	Justification
Acute Tox. 4, H302	Calculation method
Acute Tox. 4, H312	Calculation method
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 1, H410	Calculation method

Full text of abbreviated H	: H302	Harmful if swallowed.
statements	H311	Toxic in contact with skin.
	H312	Harmful in contact with skin.
	H315	Causes skin irritation.
	H319	Causes serious eye irritation.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.

.

Full text of classifications	: Acute Tox. 3 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1 Eye Irrit. 2 Skin Irrit. 2	ACUTE TOXICITY - Category 3 ACUTE TOXICITY - Category 4 AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2
Date of printing	: 23/03/2021	
Date of issue/ Date of revision	: 18/02/2021	
Version	: 10.06	
Issued/Revised	: Agnieszka Leopold	
	Product Safety & Regulations e-mail: psr@kao.es	
Form	: KCE - SDS ( lm:b9u4:8h9 ) 4.8	

#### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.