# **Kao Chemicals GmbH**

Member of KAO CHEMICALS EUROPE

# SAFETY DATA SHEET

# **AKYPO FOAM LM 25**

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier					
Product name	: AKYPO FOAM LM 25				
is also available in cor which can be found in	et relates to the material mention npliance to RSPO rules. In this c related order documents, e.g. in tification number: CU-RSPO SC	ase the product nai voices and/or delive	me is f	followed by the	suffix "MB",
Chemical name	: Poly(oxy-1,2-ethanediyl), .a ethers, potassium salts	lpha(carboxymethy	/l)om	egahydroxy-,(	C12-14-alkyl
CAS number	: 2173324-94-0				
Product code	: 720323	/3.02	/I	SDE	
1.2 Relevant identified use	s of the substance or mixture	and uses advised	again	st	
Identified us	es : Manufacture of personal	care products.			
1.3 Details of the supplier	of the safety data sheet				
Supplier	: Kao Chemicals GmbH Kupferstrasse 1 D-46446 EMMERICH - 0 Tel +49 28227110 / Fax				
E-mail:	: psr@kao.es				
1.4 Emergency telephone	number - FOR EMERGENCY	USE ONLY			
For ALL TRANSPORT AC	CCIDENTS related with USA, c s.	all CHEMTREC at	800-4	24-9300 or 703	3-527-3887 for

For ALL TRANSPORT ACCIDENTS related with Mexico, call SETIQ at 800-681-9531 or (55) 5575-0838 or (55) 5575-0842

: +34 93 739 9445 Multi-language **Other countries Emergency** telephone number (24h)

For any questions or queries not related to emergencies, call the telephone number indicated in the supplier's information.

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

**Product definition** 

**Classification** 

: Substance

Eye Dam. 1, H318

See Section 16 for the full text H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

Date of issue/Date of revision



2.2 Label elements		
Hazard pictograms		
Signal word	anger	
Hazard statements	auses serious eye damage.	
Precautionary statements		
Prevention	ear eye or face protection: Recommended: Splash goggles. safety glass le-shields.	ses with
Response	IN EYES: Rinse cautiously with water for several minutes. Remove con present and easy to do. Continue rinsing. Immediately call a POISON C ctor.	
Storage	t applicable.	
Disposal	t applicable.	
Hazardous ingredients	ly(oxy-1,2-ethanediyl), .alpha(carboxymethyl)omegahydroxy-,C12-´ hers, potassium salts	14-alkyl
Supplemental label elements	ot applicable.	
2.3 Other hazards		
Other hazards which do not result in classification	one known.	

# **SECTION 3: Composition/information on ingredients**

Substance/mixture

: Substance

Product/ingredient name	CAS no.	%	Classification	Туре
Poly(oxy-1,2-ethanediyl), .alpha(carboxymethyl)omega hydroxy-,C12-14-alkyl ethers, potassium salts	2173324-94-0	80 - 100	Eye Dam. 1, H318 See Section 16 for the full text of the H statements declared above.	[A]

<u>Type</u> [\*] Substance [A] Constituent [B] Impurity [C] Stabilizing additive Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Eye contact	:	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	:	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### 4.2 Most important symptoms and effects, both acute and delayed

### Potential acute health effects

: Causes serious eye damage.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
: No known significant effects or critical hazards.
<u>ms</u>
: Adverse symptoms may include the following: pain watering redness
: No specific data.
: Adverse symptoms may include the following: pain or irritation redness blistering may occur

Ingestion	: Adverse symptoms may include the following: stomach pains
4.3 Indication of any im	mediate medical attention and special treatment needed
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

# **SECTION 5: Firefighting measures**

_	
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
5.2 Special hazards arising f	m the substance or mixture
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	No specific data.
5.3 Advice for firefighters	
Special precautions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	otective equipment and emergency procedures	
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
6.2 Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
6.3 Methods and materials fo	or containment and cleaning up	
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	

Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

### SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific	: Not available.

- ilable.

### SECTION 8: Exposure controls/personal protection

8.1 Control parameters **Occupational exposure limits** 

solutions

Product/ingredie	nt name	Exposure limit values		
<b>Europe</b> No exposure limit value know	'n.			
<b>United States</b> No exposure limit value know	'n.			
Canada				
No exposure limit value know	'n.			
Mexico				
No exposure limit value know	'n.			
Brazil				
No exposure limit value know	'n.			
Australia				
No exposure limit value know	'n			
	<b>11.</b>			
Recommended monitoring procedures	atmosphere of of the ventilat protective equ the following: the assessme limit values an atmospheres of exposure to (Workplace a for the measu	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.		
2 Exposure controls				
Appropriate engineering controls	local exhaust	ons generate dust, fumes, gas, vapor or mist, use process enclosures ventilation or other engineering controls to keep worker exposure to aminants below any recommended or statutory limits.		
ndividual protection measur				
Hygiene measures	before eating Appropriate te Wash contarr	forearms and face thoroughly after handling chemical products, smoking and using the lavatory and at the end of the working period. echniques should be used to remove potentially contaminated clothing inated clothing before reusing. Ensure that eyewash stations and is are close to the workstation location.		
Eye/face protection	assessment in gases or dust unless the as goggles and/o	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead. Recommended: Splash goggles. safety glasses with side-shields		
Skin protection	·			
Hand protection	be worn at all this is necess check during should be not different for d	stant, impervious gloves complying with an approved standard should times when handling chemical products if a risk assessment indicates ary. Considering the parameters specified by the glove manufacturer, use that the gloves are still retaining their protective properties. It ed that the time to breakthrough for any glove material may be fferent glove manufacturers. In the case of mixtures, consisting of ances, the protection time of the gloves cannot be accurately		

	estimated. > 8 hours (breakthrough time): disposable vinyl
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat overall
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: neoprene
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Remark	: The penetration-time of the recommended gloves depends not only on the material. Also other factors may have influence on the penetration-time, as their thickness or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties			
<u>Appearance</u>			
Physical state	:	Liquid. [Gel]	
Color	1	Colorless. to Yellowish.	
Odor	1	Characteristic.	
Odor threshold	÷	Not available.	
pH Molting point	1	10 to 13 (Conc. (% w/w): 100) 15 to 20 °C	
Melting point	÷	100°C	
Initial boiling point and boiling range	•	100 C	
Flash point	:	Open cup: >100°C	
Evaporation rate (butyl acetate = 1)	:	Not available.	
Flammability (solid, gas)	:	Not available.	
Upper/lower flammability or explosive limits	:	Not available.	
Vapor density	:	Not available.	
Density	:	1,008 g/cm³ [20°C]	
Solubility(ies)	:	Soluble in the following materials: cold water and hot water.	
Partition coefficient: n-octanol/ water	:	Not available.	
Decomposition temperature	:	Not available.	
Viscosity ( Dynamic )	:	13000 to 17000 cP (20 °C)	
Explosive properties	1	Not available.	
Oxidizing properties	4	Not available.	
9.2 Other information			
No additional information.			

# SECTION 10: Stability and reactivity

10.1 Reactivity	No specific test data related to reactivity available for this product or its ingredi	lients.
10.2 Chemical stability	The product is stable.	
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occu	ur.
10.4 Conditions to avoid 10.5 Incompatible materials	No specific data.	
	Reactive or incompatible with the following materials: acids	
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition produc should not be produced.	cts

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects Acute toxicity

Poly(oxy-1,2-ethanediyl), .alpha (carboxymethyl)omegahydroxy-, C12-14-alkyl ethers, potassium saltsLD50 OralRatConclusion/Summary: Data on similar productIrritation/Corrosion Conclusion/Summary: Data on similar productIrritation/Corrosion Conclusion/Summary: Non-irritant to skin. (OECD 439) In Vitro EpiSkin Skin Irritation T EyesEyes: Causes serious eye damage. ( Data on similar product )Respiratory: Not available.Sensitizer Conclusion/Summary: Non-sensitizer to skin. ( Data on similar product )Respiratory: Not available.Mutagenicity Conclusion/Summary: Not available.	Dose		
Irritation/CorrosionConclusion/SummarySkinEyes: Non-irritant to skin. (OECD 439) In Vitro EpiSkin Skin Irritation TEyes: Causes serious eye damage. ( Data on similar product )Respiratory: Not available.SensitizerConclusion/SummarySkin: Non-sensitizer to skin. ( Data on similar product )Respiratory: Non-sensitizer to skin. ( Data on similar product )Respiratory: Not available.Mutagenicity	>2000 mg/kg		
Conclusion/Summary         Skin       : Non-irritant to skin. (OECD 439) In Vitro EpiSkin Skin Irritation T         Eyes       : Causes serious eye damage. (Data on similar product)         Respiratory       : Not available.         Sensitizer       Conclusion/Summary         Skin       : Non-sensitizer to skin. (Data on similar product)         Respiratory       : Non-sensitizer to skin. (Data on similar product)         Respiratory       : Not available.			
Skin: Non-irritant to skin. (OECD 439) In Vitro EpiSkin Skin Irritation TEyes: Causes serious eye damage. ( Data on similar product )Respiratory: Not available.SensitizerConclusion/SummarySkin: Non-sensitizer to skin. ( Data on similar product )Respiratory: Non-sensitizer to skin. ( Data on similar product )Respiratory: Non-sensitizer to skin. ( Data on similar product )Respiratory: Not available.Mutagenicity			
Eyes       : Causes serious eye damage. ( Data on similar product )         Respiratory       : Not available.         Sensitizer       Conclusion/Summary         Skin       : Non-sensitizer to skin. ( Data on similar product )         Respiratory       : Not available.         Mutagenicity       : Not available.			
Respiratory       : Not available.         Sensitizer	est.		
Sensitizer         Conclusion/Summary         Skin       : Non-sensitizer to skin. (Data on similar product)         Respiratory       : Not available.         Mutagenicity	eye damage. ( Data on similar product )		
Conclusion/Summary         Skin       : Non-sensitizer to skin. (Data on similar product)         Respiratory       : Not available.         Mutagenicity			
Skin       : Non-sensitizer to skin. (Data on similar product)         Respiratory       : Not available.         Mutagenicity       : Not available.			
Respiratory       : Not available.         Mutagenicity			
Mutagenicity			
Conclusion/Summary No known significant effects or critical bazards			
enteration enteration and the second significant energy of onlice hazards.			
Carcinogenicity			
<b>Conclusion/Summary</b> : No known significant effects or critical hazards.	No known significant effects or critical hazards.		
Reproductive toxicity			
<b>Conclusion/Summary</b> : No known significant effects or critical hazards.	No known significant effects or critical hazards.		
<u>Teratogenicity</u>			
<b>Conclusion/Summary</b> : No known significant effects or critical hazards.			
Potential acute health effects			
Inhalation : No known significant effects or critical hazards.			
Ingestion : No known significant effects or critical hazards.			
Skin contact : No known significant effects or critical hazards.			
Eye contact : Causes serious eye damage.			
Symptoms related to the physical, chemical and toxicological characteristics			
Inhalation : No specific data.			
Ingestion : Adverse symptoms may include the following: stomach pains			

Skin contact	:	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Eye contact	:	Adverse symptoms may include the following: pain watering redness
Potential chronic health effe	<u>cts</u>	<u>2</u>
<b>Conclusion/Summary</b>	:	No known significant effects or critical hazards.
General	:	No known significant effects or critical hazards.
Carcinogenicity	1	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	1	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Absorption	:	Not available.
Distribution	1	Not available.
Metabolism	1	Not available.
Elimination	:	Not available.
Other information	1	Not available.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure	Test
Poly(oxy-1,2-ethanediyl), .alpha (carboxymethyl)omegahydroxy-, C12-14-alkyl ethers, potassium salts	Acute EC50 1 to 10 mg/l	Daphnia	48 hours	-
	Acute LC50 1 to 10 mg/l	Fish	96 hours	-

**Conclusion/Summary** : Data on similar product

### 12.2 Persistence and degradability

**Conclusion/Summary** : Data on similar product

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Poly(oxy-1,2-ethanediyl), .alpha (carboxymethyl)omegahydroxy-, C12-14-alkyl ethers, potassium salts	-	-	Readily

### 12.3 Bioaccumulative potential

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.
12.5 Other adverse effects	: No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</li> </ul>
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### **SECTION 14: Transport information ADR/RID DOT Classification** IMDG ΙΑΤΑ 14.1 UN number Not regulated. Not regulated. Not regulated. Not regulated. 14.2 UN proper \_ shipping name 14.3 Transport hazard class(es) 14.4 Packing group -No. **14.5 Environmental** No. No. No. hazards Packaging **Additional** \_ **instruction** information Exceptions: 155. Nonbulk: 203. Bulk: 241. ADR/RID Classification Code

# 14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

### **SECTION 15: Regulatory information**

#### National Inventory List

This refers to country inventory status or Kao notifications to specific country inventories. Some countries may have additional importation requirements.

#### California Prop. 65

This product is not expected to contain any chemicals known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 (The Safe Drinking Water and Toxic Enforcement Act of 1986).

### **SECTION 16: Other information**

Abbreviations and acronyms : ATE = Acute Toxicity Estimate <u>Classification</u> Eye Dam. 1, H318

Classi	fication	Justification	
Eye Dam. 1, H318		Expert judgment	
Full text of abbreviated H statements	: H318	Causes serious eye damage.	
Full text of classifications	: Eye Dam. 1	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1	
Date of printing	: 18/02/2021		
Date of issue/ Date of revision	: 21/12/2020		
Version Issued/Revised	<ul> <li>3.02</li> <li>Not available.</li> <li>Product Safety &amp; Regulations</li> <li>e-mail: psr@kao.es</li> </ul>		
Form	: KCE - SDS ( Im:b9u4:8h9 ) 4.8		

#### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.