Kao Chemicals GmbH

Member of KAO CHEMICALS EUROPE

SAFETY DATA SHEET

AKYPO RLM 45 CA

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier					
is also available in which can be foun	: AKYPO RLM 45 CA Sheet relates to the material mention compliance to RSPO rules. In this d in related order documents, e.g. in certification number: CU-RSPO SC : Alkyl ether carboxylic acid	case the product name of the product name of the product name of the product of t	me is f	ollowed by the suffix "M	IB",
CAS number	: 220622-96-8				
Product code	: 325212	/16.03	/F	SDE	
	uses of the substance or mixture luses : Surfactant Manufacture of personal		-		nts.
1.3 Details of the supp	lier of the safety data sheet				
Supplier E-mail:	 Kao Chemicals GmbH Kupferstrasse 1 D-46446 EMMERICH - 0 Tel +49 28227110 / Fax psr@kao.es 	-			
	one number - FOR EMERGENCY T ACCIDENTS related with USA, calls.		800-4	24-9300 or 703-527-388	37 for

For ALL TRANSPORT ACCIDENTS related with Mexico, call SETIQ at 800-681-9531 or (55) 5575-0838 or (55) 5575-0842

Other countries Emergency	: +34 93 739 9445	Multi-language
telephone number (24h)		

For any questions or queries not related to emergencies, call the telephone number indicated in the supplier's information.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition

Classification

: Substance

Eye Dam. 1, H318

See Section 16 for the full text H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

Date of issue/Date of revision



2.2 Label elements Hazard pictograms	
Signal word	: Danger
Hazard statements	: Causes serious eye damage.
Precautionary statements	
Prevention	: Wear eye or face protection: Recommended: safety glasses with side-shields.
Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazardous ingredients	: Alkyl ether carboxylic acid
Supplemental label elements	: Not applicable.
2.3 Other hazards	
Other hazards which do not result in classification	: None known.

SECTION 3: Composition/information on ingredients : Substance

Substance/mixture

Product/ingredient name	CAS no.	%	Classification	Туре
Alkyl ether carboxylic acid	220622-96-8	80 - 100	Eye Dam. 1, H318 See Section 16 for the full text of the H statements declared above.	[A]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

<u>Type</u>

[*] Substance

[A] Constituent

[B] Impurity

[C] Stabilizing additive

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Descri	ption	of first	aid	measures

Protection of first-aiders Eye contact		No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes.
Inhalation	:	Chemical burns must be treated promptly by a physician. Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion Over-exposure signs/sympto	:	Causes serious eye damage. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact		Adverse symptoms may include the following: pain watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: pain or irritation redness blistering may occur

Ingestion	: Adverse symptoms may include the following: stomach pains
4.3 Indication of any imr	nediate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	-	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising f	rom	the substance or mixture
Hazards from the substance or mixture	-	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters		
Special precautions for fire-fighters	-	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	E e r	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	i	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	C	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for	COI	ntainment and cleaning up
Small spill	נ r	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Occupational exposure limits

Product/ingredien	t name	Exposure limit values
Europe No exposure limit value knowr	۱.	
United States No exposure limit value knowr	1.	
Canada		
No exposure limit value knowr	۱.	
Mexico		
No exposure limit value knowr	۱.	
Brazil		
No exposure limit value knowr	۱.	
Australia		
No exposure limit value knowr		
	1.	
Recommended monitoring procedures	atmosphere or l of the ventilatio protective equip the following: E the assessment limit values and atmospheres - of of exposure to of (Workplace atmospheres)	ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness in or other control measures and/or the necessity to use respiratory oment. Reference should be made to monitoring standards, such as European Standard EN 689 (Workplace atmospheres - Guidance for t of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 mospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be
2 Exposure controls		
Appropriate engineering controls	local exhaust ve	ns generate dust, fumes, gas, vapor or mist, use process enclosures, entilation or other engineering controls to keep worker exposure to ninants below any recommended or statutory limits.
ndividual protection measure		
Hygiene measures	before eating, s Appropriate tec Wash contamin	prearms and face thoroughly after handling chemical products, moking and using the lavatory and at the end of the working period. hniques should be used to remove potentially contaminated clothing. hated clothing before reusing. Ensure that eyewash stations and are close to the workstation location.
Eye/face protection	assessment ind gases or dusts. unless the asse goggles and/or	complying with an approved standard should be used when a risk licates this is necessary to avoid exposure to liquid splashes, mists, If contact is possible, the following protection should be worn, essment indicates a higher degree of protection: chemical splash face shield. If inhalation hazards exist, a full-face respirator may be d. Recommended: safety glasses with side-shields
Skin protection	·	
Hand protection	be worn at all ti this is necessar check during us should be noted different for diff	ant, impervious gloves complying with an approved standard should mes when handling chemical products if a risk assessment indicates ry. Considering the parameters specified by the glove manufacturer, se that the gloves are still retaining their protective properties. It d that the time to breakthrough for any glove material may be erent glove manufacturers. In the case of mixtures, consisting of nees, the protection time of the gloves cannot be accurately

	estimated. > 8 hours (breakthrough time): 1 - 4 hours (breakthrough time): butyl rubber, Viton®, nitrile rubber, neoprene	
Body protection	Personal protective equipment for the body should be selected based on the tabeing performed and the risks involved and should be approved by a specialis before handling this product. Recommended: overall, lab coat	
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should approved by a specialist before handling this product. Recommended: neopre	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other impo- aspects of use.	l I
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to e they comply with the requirements of environmental protection legislation. In s cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Remark	The penetration-time of the recommended gloves depends not only on the mate Also other factors may have influence on the penetration-time, as their thickness the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the g are suitable for the intended use.	s or or

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties				
<u>Appearance</u>				
Physical state	:	Liquid. [Clear. Liquid.]		
Color	:	Colorless to light yellow.		
Odor Odor threshold pH Melting point		Acidic. Not available. 2.7 to 3.2 (Conc. (% w/w): 1) (20 °C) 0 to 5 °C		
Initial boiling point and boiling range	:	>100°C		
Flash point	:	Closed cup: 211°C		
Evaporation rate (butyl acetate = 1)	:	Not available.		
Flammability (solid, gas)	:	Slightly flammable in the presence of the following materials or conditions: open flames, sparks and static discharge. Non-flammable in the presence of the following materials or conditions: shocks and mechanical impacts and moisture.		
Burning time	:	Not applicable.		
Burning rate	1	Not applicable.		
Upper/lower flammability or explosive limits	:	Not available.		
Vapor density	:	Not available.		
Density	:	1,01 g/cm³ [20°C]		
Specific gravity	:	1.01		
Solubility(ies)	:	Partially soluble in the following materials: cold water. Very slightly soluble in the following materials: hot water.		
Partition coefficient: n-octanol/ water	:	Not available.		

Decomposition temperature Viscosity (Dynamic) Explosive properties

>100°C

2

- : 500 cP (20 °C)
- : Non-explosive in the presence of the following materials or conditions: shocks and mechanical impacts and moisture.
- : Not available.

Oxidizing properties 9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	No specific test data related to reactivity available for this product or its ingredier	ıts.
10.2 Chemical stability	Γhe product is stable.	
10.3 Possibility of hazardous reactions	Jnder normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	Slightly flammable in the presence of the following materials or conditions: open sparks and static discharge. Non-flammable in the presence of the following materials or conditions: shocks a nechanical impacts and moisture. Non-explosive in the presence of the following materials or conditions: shocks are a space of the following materials are a space of the following materials or conditions: shocks are a space of the following materials are a space of the followin	and
10.5 Incompatible materials	nechanical impacts and moisture. Non-reactive or compatible with the following materials: moisture.	
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.	
Decomposition temperature	>100 °C	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose
Alkyl ether carboxylic acid	LD50 Oral	Rat	>2000 mg/kg

Conclusion/Summary : Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score
Alkyl ether carboxylic acid	Skin - Erythema/Eschar	Rabbit	1
	Skin - Edema	Rabbit	0

Conclusion/Summary

Conclusion/Summary

Conclusion/Summary

Reproductive toxicity

Skin Eyes

Skin

- : Causes serious eye damage.
- Respiratory
- <u>Sensitizer</u>

Respiratory

Carcinogenicity

Mutagenicity

- : Not available.
- - : Not available. : Not available.
 - : Not available

Conclusion/Summary : Not available.

: Not available.

Conclusion/Summary	:	Not available.
Teratogenicity		
Conclusion/Summary	:	Not available.
Specific target organ toxicity	<u>(</u>	<u>single exposure)</u>
Specific target organ toxicity	<u> (</u> 1	<u>epeated exposure)</u>
Potential acute health effects	5	
Inhalation	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Eye contact	:	Causes serious eye damage.
Symptoms related to the phy	/si	cal, chemical and toxicological characteristics
Inhalation	:	No specific data.
Ingestion	:	Adverse symptoms may include the following: stomach pains
Skin contact	:	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Eye contact	:	Adverse symptoms may include the following: pain watering redness
Potential chronic health effe	cts	2
Conclusion/Summary	:	Not available.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Absorption	:	Not available.
Distribution	:	Not available.
Metabolism	:	Not available.
Elimination	:	Not available.

SECTION 12: Ecological information

: Not available.

12.1 Toxicity

Other information

Product/ingredient name	Result	Species	Exposure	Test
Alkyl ether carboxylic acid	Acute LC50 7,5 mg/l	Fish	96 hours	-

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Alkyl ether carboxylic acid	-	-	Readily

12.3 Bioaccumulative potential

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.
12.5 Other adverse effects	: No known significant effects or critical hazards.
Other information	:

SECTION 13: Disposal considerations

13.1 Waste treatment methods

io. i music ircument men	
Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	DOT Classification	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
		-		

Additional information	ADR/RID Classification Code		<u>Remarks</u>	Quantity limitation Passenger and Cargo Aircraft: Packaging instructions: . Cargo Aircraft Only: Packaging instructions: . Limited Quantities - Passenger Aircraft: Packaging instructions: .
---------------------------	--------------------------------	--	----------------	---

14.6 Special precautions for user	:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
14.7 Transport in bulk according to IMO instruments	:	Not available.

SECTION 15: Regulatory information

2

National Inventory List

This refers to country inventory status or Kao notifications to specific country inventories. Some countries may have additional importation requirements.

Australia	: This material is listed or exempted.
Canada	: This material is not listed in DSL but is listed in NDSL.
China	: This material is listed or exempted.
New Zealand	: This material is listed or exempted.
Philippines	: This material is listed or exempted.
Republic of Korea	: This material is listed or exempted.
Taiwan	: This material is listed or exempted.
United States	: This material is active or exempted.

United States - Listed and or Active means TSCA active

California Prop. 65

This product is not expected to contain any chemicals known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 (The Safe Drinking Water and Toxic Enforcement Act of 1986).

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

Classification

Eye Dam. 1, H318

Classification		Justification	
Eye Dam. 1, H318		Expert judgment	
Full text of abbreviated H statements	: H318	Causes serious eye damage.	
Full text of classifications	: Eye Dam. 1	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1	
Date of printing	: 18/02/2021		
Date of issue/ Date of revision	: 21/12/2020		
Version	: 16.03		
Issued/Revised	: Miquel Pérez		
	Product Safety & Regu e-mail: psr@kao.es	lations	
Form	: KCE - SDS (lm:b9u4:8h9)	4.8	

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.