Kao Corporation S.A.

Member of KAO CHEMICALS EUROPE



SAFETY DATA SHEET

DANOX HC-30

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : DANOX HC-30

This Safety Data Sheet relates to the material mentioned above by product name. The corresponding product is also available in compliance to RSPO rules. In this case the product name is followed by the suffix "MB", which can be found in related order documents, e.g. invoices and/or delivery notes. All these documents also include our RSPO certification number: CU-RSPO SCC-819585

Chemical name : Proprietary mixture.

Product code : 598198 /8.07 /I SES

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Surfactant. Cosmetics - Hair cosmetics.

1.3 Details of the supplier of the safety data sheet

Supplier : Kao Corporation, S.A.

Puig dels Tudons, 10 - 08210 BARBERÀ DEL VALLÈS (Barcelona) - SPAIN

Telf. +34 937399 300. Fax +34 937399 333

E-mail: : psr@kao.es

1.4 Emergency telephone number - FOR EMERGENCY USE ONLY

For ALL TRANSPORT ACCIDENTS related with USA, call CHEMTREC at 800-424-9300 or 703-527-3887 for international collect calls.

For ALL TRANSPORT ACCIDENTS related with Mexico, call SETIQ at 800-681-9531 or (55) 5575-0838 or (55) 5575-0842

Other countries Emergency telephone number (24h)

: +34 93 739 9445 Multi-language

For any questions or queries not related to emergencies, call the telephone number indicated in the supplier's information.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification
Not classified.

See Section 16 for the full text H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :

 Date of issue/Date of revision
 : 19/03/2021
 1/11

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Hazardous ingredients

Supplemental label

elements

: Safety data sheet available on request.

2.3 Other hazards

Other hazards which do not result in classification

: None known.

SECTION 3: Composition/information on ingredients

Substance/mixture : Mixture

CAS no.	%	Classification	Туре
60270-33-9 79-33-4	10 - 20 2.5 - 5	Eye Dam. 1, H318 Aquatic Chronic 3, H412 Skin Irrit. 2, H315 Eye Dam. 1, H318	[1] [1]
		See Section 16 for the full text of the H statements declared above.	
	60270-33-9	60270-33-9 10 - 20	60270-33-9 10 - 20 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Skin Irrit. 2, H315 Eye Dam. 1, H318 See Section 16 for the full text of the H statements declared

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders Eye contact

- : No action shall be taken involving any personal risk or without suitable training.
- : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

 Date of issue/Date of revision
 : 19/03/2021
 2/11

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: No specific fire or explosion hazard.

Hazardous combustion

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

5.3 Advice for firefighters

Special precautions for

fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

suitable training.

 Date of issue/Date of revision
 : 19/03/2021
 3/11

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures Advice on general occupational hygiene

: Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

 Date of issue/Date of revision
 : 19/03/2021
 4/11

Recommendations

Industrial sector specific

solutions

Not available.Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Europe	
No exposure limit value known.	
United States No exposure limit value known.	
Canada	
No exposure limit value known.	
Mexico	
No exposure limit value known.	
Brazil	
No exposure limit value known.	
Australia	
No exposure limit value known.	

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

8.2 Exposure controls

Appropriate engineering controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

 Date of issue/Date of revision
 : 19/03/2021
 5/11

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: Splash goggles.,Safety glasses with side shields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. > 8 hours (breakthrough time): natural rubber (latex)

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Lab coat.,overall

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended:

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Remark

: The penetration-time of the recommended gloves depends not only on the material. Also other factors may have influence on the penetration-time, as their thickness or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Solid. [at 20°C]
Color : Not available.
Odor : Not available.
Odor threshold : Not available.

pH : 3.5 to 5 (Conc. (% w/w): 2.5)

Melting point : Not available.

Initial boiling point and boiling : Not available.

range

Flash point : Closed cup: >150°C

Evaporation rate (butyl acetate

= 1)

Not available.

Flammability (solid, gas) : Not available.

Upper/lower flammability or : Not available.

explosive limits

Not available.

Vapor density : Not available.

Density : 0,905 to 0,915 g/cm³ [20°C]

Solubility(ies) : Not available.

Partition coefficient: n-octanol/ : Not available.

water

 Date of issue/Date of revision
 : 19/03/2021
 6/11

Decomposition temperature

Viscosity (Dynamic)

Not available.

<200 cP (75 °C) (Rheometer Haake RS600 (PP serrated GAP 0,8; Shear rate 5s-

Explosive properties

Non-explosive in the presence of the following materials or conditions: shocks

and mechanical impacts and moisture.

Oxidizing properties

Dropping Point

Not available.

9.2 Other information

No additional information.

58 to 62 °C (M259)

SECTION 10: Stability and reactivity

10.1 Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is stable.

10.3 Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

: Non-flammable in the presence of the following materials or conditions: shocks and

mechanical impacts and moisture.

Non-explosive in the presence of the following materials or conditions: shocks and

mechanical impacts and moisture.

10.5 Incompatible materials

10.6 Hazardous

decomposition products

: No specific data.

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose
N-[3-(dimethylamino)propyl]docosanamide	LD50 Dermal	Rabbit	>2000 mg/kg Data on similar product
	LD50 Oral	Rat	>2000 mg/kg Data on similar product
I-(+)-lactic acid	LD50 Oral	Rat	3730 mg/kg

Conclusion/Summary

: Not available.

Acute toxicity estimates

Route	ATE value
Not available.	

Irritation/Corrosion

Product/ingredient name	Result	Species	Score
N-[3-(dimethylamino)propyl]docosanamide	Eyes - Cornea opacity	Rabbit	3,1
	Skin - Edema	Rabbit	0

Conclusion/Summary

Skin : Non-irritant to skin. (OECD 439) **Eyes** : Non-irritating to the eyes. (OECD 492)

Respiratory : Not available.

Sensitizer

Date of issue/Date of revision 19/03/2021 7/11

Product/ingredient name	Route of exposure	Species	Result
N-[3-(dimethylamino)propyl]docosanamide	skin	Guinea pig	Not sensitizing

Conclusion/Summary

Skin : Not available.

Respiratory : Not available.

Mutagenicity

Product/ingredient name	Test	Experiment	Result
[- ())		Experiment: In vitro Subject: Bacteria	Negative

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated exposure)

Potential acute health effects

Inhalation : No known significant effects or critical hazards.
 Ingestion : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Eye contact : No known significant effects or critical hazards.
 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No specific data.Ingestion: No specific data.Skin contact: No specific data.Eye contact: No specific data.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose
N-[3-(dimethylamino)propyl]docosanamide	Sub-acute NOAEL Oral	Rat	60 mg/kg

Conclusion/Summary: Not available.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Absorption: Not available.Distribution: Not available.Metabolism: Not available.Elimination: Not available.Other information: Not available.

 Date of issue/Date of revision
 : 19/03/2021
 8/11

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure	Test
N-[3-(dimethylamino)propyl] docosanamide	Acute EC50 1,73 mg/l	Algae	72 hours	OECD 201 Alga, Growth Inhibition Test
	Acute EC50 1,6 mg/l	Daphnia	48 hours	OECD 202 <i>Daphnia</i> sp. Acute Immobilization Test and Reproduction Test
	Acute LC50 5,45 mg/l	Fish	96 hours	OECD 203 Fish, Acute Toxicity Test
	Chronic NOEC 0,36 mg/l	Algae	72 hours	OECD 201
l-(+)-lactic acid	Acute EC50 >100 mg/l	Daphnia	48 hours	-

Conclusion/Summary

: No known significant effects or critical hazards.

12.2 Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
N-[3-(dimethylamino)propyl] docosanamide	-	-	Readily
I-(+)-lactic acid	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
N-[3-(dimethylamino)propyl]docosanamide	2,85	-	low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

Packaging

 Date of issue/Date of revision
 : 19/03/2021
 9/11

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	DOT Classification	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-
	ADR/RID Classification Code			

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

SECTION 15: Regulatory information

National Inventory List

This refers to country inventory status or Kao notifications to specific country inventories. Some countries may have additional importation requirements.

Australia : All components are listed or exempted.

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Taiwan : All components are listed or exempted.

California Prop. 65

 Date of issue/Date of revision
 : 19/03/2021
 10/11

methanol (CAS 67-56-1)

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

Classification	Justification
Not classified.	

Full text of abbreviated H : H315 Causes skin irritation.

statements H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Full text of classifications : Aquatic Chronic 3 AQUATIC HAZARD (LONG-TERM) - Category 3

Eye Dam. 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1

Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2

Date of printing : 13/04/2021

Date of issue/ Date of : 19/03/2021

revision

Version : 8.07 Issued/Revised : Aleo

Product Safety & Regulations

e-mail: psr@kao.es

Form : KCE - SDS (Im:b9u4:8h9) 4.8

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.