Kao Corporation S.A.

Member of KAO CHEMICALS EUROPE



SAFETY DATA SHEET

DANOX BF-22

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier			
Product name	: DANOX BF-22		
Chemical name	: Pearling agent dispe	rsed in a surfactant base.	
Product code	: 265870	/6.05 /F	SES
1.2 Relevant identified	uses of the substance or m	ixture and uses advised aga	inst
Identifie	d uses : Manufacture of pe	rsonal care products. Manufac	cture of soaps and detergents.
1.3 Details of the supp	lier of the safety data sheet		
Supplier	8	S.A. , 10 - 08210 BARBERÀ DEL V 300. Fax +34 937399 333	ALLÈS (Barcelona) - SPAIN
E-mail:	: psr@kao.es		
			-424-9300 or 703-527-3887 for
		Mexico, call SETIQ at 800-68	1-9531 or (55) 5575-0838 or (55)
Other countrie	es Emergency	: +34 93 739 9445	Multi-language

Other countries Emergency telephone number (24h)

For any questions or queries not related to emergencies, call the telephone number indicated in the supplier's information.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition

: Mixture

Classification Eye Irrit. 2, H319

See Section 16 for the full text H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



.

Signal word Hazard statements <u>Precautionary statements</u>	Warning Causes serious eye irritation.	
Prevention	Wear eye or face protection: Recommended: splash goggles.	
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.	,
Storage	Not applicable.	
Disposal	Not applicable.	
Hazardous ingredients		
Supplemental label elements	Not applicable.	
2.3 Other hazards		

Other hazards which do	: None known.
not result in classification	

SECTION 3: Composition/information on ingredients

Substance/mixture

: Mixture

CAS no.	%	Classification	Туре
68439-50-9	10 - 20	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3. H412	[1]
61789-40-0	5 - 10	Eye Dam. 1, H318 Aquatic Chronic 3, H412	[1]
		See Section 16 for the full text of the H statements declared above.	
	68439-50-9	68439-50-9 10 - 20	68439-50-9 10 - 20 Eye Irrit. 2, H319 61789-40-0 5 - 10 Eye Dam. 1, H400 (M=1) Aquatic Chronic 3, H412 Eye Dam. 1, H318 Aquatic Chronic 3, H412 See Section 16 for the full text of the H statements declared

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders Eye contact	 No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health	<u>effects</u>
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/s	symptoms
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large
quantities have been ingested or inhaled.Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	 In a fire or if heated, a pressure increase will occur and the container may burst. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters	
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	teo	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and materials for	. Ce	ontainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)		
Recommendations	: Not available.	
Industrial sector specific	: Not available.	
solutions		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Occupational exposure limits

Product/ingredient name		Exposure limit values
Europe No exposure limit value knowr	I.	
United States No exposure limit value knowr	I.	
Canada		
No exposure limit value known	I.	
Mexico		
No exposure limit value known	l.	
Brazil		
No exposure limit value known	l.	
Australia No exposure limit value knowr		
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.	
	: Good general ve	entilation should be sufficient to control worker exposure to airborne
controls	contaminants.	
ndividual protection measure Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. Recommended: splash goggles	
Skin protection		
Hand protection	be worn at all tir this is necessar check during us should be notec different for diffe several substan	ant, impervious gloves complying with an approved standard should mes when handling chemical products if a risk assessment indicates y. Considering the parameters specified by the glove manufacturer, e that the gloves are still retaining their protective properties. It I that the time to breakthrough for any glove material may be erent glove manufacturers. In the case of mixtures, consisting of ces, the protection time of the gloves cannot be accurately hours (breakthrough time): butyl rubber, Viton®, nitrile rubber,

Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: overall, lab coat
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: neoprene
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Remark	: The penetration-time of the recommended gloves depends not only on the material. Also other factors may have influence on the penetration-time, as their thickness or the specific use or conditions (temperature). In any case, certificate materials (for example following EN 374) should be selected. Please ask your supplier, if the gloves are suitable for the intended use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance

<u>Appearance</u>		
Physical state	:	Liquid. [Fluid paste]
Color	:	Not available.
Odor	1	Characteristic.
Odor threshold	1	Not available.
рН	÷.,	3 to 4 (Conc. (% w/w): 100) (20 °C)
Melting point	4	<0 °C (DSC, Freezing point)
Initial boiling point and boiling range	:	98 to 102°C
Flash point	:	Closed cup: >100°C
Evaporation rate (butyl acetate = 1)	:	Not available.
Flammability (solid, gas)	:	Not available.
Upper/lower flammability or explosive limits	:	Not available.
Vapor density	:	Not available.
Density	:	0,955 g/cm³ [20°C]
Solubility(ies)	1	Insoluble in the following materials: cold water.
Partition coefficient: n-octanol/ water	:	Not available.
Decomposition temperature	:	Not available.
Viscosity (Dynamic)	:	<10000 cP (20 °C)
Explosive properties	:	Not available.
Oxidizing properties	1	Not available.
9.2 Other information		
No additional information.		

SECTION 10: Stability and reactivity

10.1 Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability10.3 Possibility ofhazardous reactions10.4 Conditions to avoid10.5 Incompatible materials

decomposition products

- : The product is stable.
- : Under normal conditions of storage and use, hazardous reactions will not occur.
- No specific data.No specific data.
- 10.6 Hazardous
 - : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose
Ethoxylated fatty alcohol. 1-Propanaminium, 3-amino-N-(carboxymethyl) -N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts			>2000 mg/kg >2000 mg/kg
	LD50 Oral	Rat - Male, Female	2430 mg/kg

Conclusion/Summary : Not available.

Acute toxicity estimates

Route	ATE value		
Not available.			

Irritation/Corrosion

Product/ingredient name	Result	Species	Score
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Eyes - Severe irritant	Rabbit	-
	Skin - Erythema/Eschar Skin - Edema	Rabbit Rabbit	0 0

Conclusion/Summary

ot available.
ļ

: Irritating to eyes.

Respiratory : Not available.

<u>Sensitizer</u>

Skin

Eyes

Product/ingredient name	Route of exposure	Species	Result
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	skin	Guinea pig	Not sensitizing

Conclusion/Summary

Skin	: Not available.
Respiratory	: Not available.

Mutagenicity

.

Product/ingredient name		Test			Experiment		Result
(carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts			OECD 471 Bacterial Reverse Mutation Test		Subject: Bacteria		Negative
			EU EC B.13/14 Mutagenicity - Reverse Mutation Testing using Bacteria		Subject: Bacteria		Negative
		OECD 474 Mammalian Erythro Micronucleus Test OECD 476 <i>In vitro</i> Mammalian Gene Mutation Test			Animal		Negative Negative
Conclusion/Summary	: Not av				/		
Carcinogenicity							
Conclusion/Summary	: Not av	ailable.					
Reproductive toxicity							
Conclusion/Summary	: Not av	ailable.					
Teratogenicity							
Product/ingredient name	Result			Species	Dose	Expo	osure
1-Propanaminium, 3-amino- N-(carboxymethyl)-N,N- dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Negative - Oral		Rat - Female	300 mg/kg NOAEL	-		
Conclusion/Summary	: Not av	ailable.					
Specific target organ toxicit	<u>y (single e</u>	exposur	<u>.e)</u>				
Specific target organ toxicit	<u>y (repeate</u>	d expos	<u>sure)</u>				
Potential acute health effect	s						
Inhalation	: No kno	own sigr	nificant effects	or critical hazard	S.		
Ingestion	: No kno	own sigr	nificant effects	or critical hazard	S.		
Skin contact	: No kno	own sigr	nificant effects	or critical hazard	S.		
Eye contact	: Cause	s seriou	is eye irritation				
Symptoms related to the ph	<u>ysical, ch</u>	emical a	and toxicolog	ical characterist	ics		
Inhalation	: No spe	ecific da	ta.				
Ingestion	: No spe	ecific da	ta.				
Skin contact	: No spe	ecific da	ta.				
Eye contact		r irritatio ng		ude the following:	:		
Potential chronic health effe	ects						
Product/ingredient name			Result		Species	Dose	
1-Propanaminium. 3-amino-N	J_		Sub-chronic N	OFL Oral	Rat - Male.	300 mc	n/ka

Product/ingredient name		Result	Species	Dose
1-Propanaminium, 3-amino (carboxymethyl)-N,N-dimet derivs., hydroxides, inner sa	hyl-, N-coco acyl	Sub-chronic NOEL Oral	Rat - Male, Female	300 mg/kg
Conclusion/Summary	: Not available.	•		
General	: No known significant effects or critical hazards.			
Carcinogenicity	: No known significant effects or critical hazards.			
Mutagenicity	: No known significant effects or critical hazards.			
Teratogenicity	: No known significant effects or critical hazards.			
Developmental effects	: No known significant effects or critical hazards.			
Fertility effects	: No known sig	nificant effects or critical ha	izards.	

Absorption
Distribution
Metabolism
Elimination
Other information

: Not available.

- : Not available.
- : Not available.
- : Not available.
- : Not available.
- **SECTION 12: Ecological information**

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure	Test
Ethoxylated fatty alcohol.	Acute LC50 0,1 to 1 mg/l	Fish	96 hours	OECD 203
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N- coco acyl derivs., hydroxides, inner salts	Acute EC50 2,4 mg/l	Algae	72 hours	-
	Acute EC50 1,9 mg/l	Daphnia	48 hours	OECD 202 <i>Daphnia</i> sp. Acute Immobilization Test and Reproduction Test
	Acute LC50 1,11 mg/l	Fish	96 hours	OECD 203 Fish, Acute Toxicity Test
	Chronic NOEC 0,6 mg/	Algae	72 hours	-
	Chronic NOEC 0,3 mg/	Daphnia	21 hours	OECD 211 <i>Daphnia Magna</i> Reproduction Test
	Chronic NOEC 0,135 mg/l	Fish	100 days	OECD 210 Fish, Early-Life Stage Toxicity Test

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Product/ingredient name	Test		Result	
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	OECD 306 Biodegradability in Seawater EPA OPPTS 835.3120 (Sealed Vessel Carbon Dioxide Production Test) and ISO/ DIS 14593		>60 % - Readily - 28 days >60 % - Readily - 28 days	
Product/ingredient name	Aquatic half-life	Photolysis		Biodegradability
Ethoxylated fatty alcohol. 1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco	-	-		Readily Readily
acyl derivs., hydroxides, inner salts				

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1-Propanaminium, 3-amino-N-(carboxymethyl)- N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	4,2	71	low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

:

Other information

SECTION 13: Disposal considerations

13.1 Waste treatment meth Product	ods
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

	ADR/RID	DOT Classification	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-
	ADR/RID Classification Code			

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

SECTION 15: Regulatory information

National Inventory List

This refers to country inventory status or Kao notifications to specific country inventories. Some countries may have additional importation requirements.

Australia	: All components are listed or exempted.		
Canada	: All components are listed or exempted.		
China	: All components are listed or exempted.		
New Zealand	: All components are listed or exempted.		
Philippines	: All components are listed or exempted.		
Republic of Korea	: All components are listed or exempted.		
Taiwan	: All components are listed or exempted.		
United States	: All components are active or exempted.		
United States Listed and or Active means TSCA active			

United States - Listed and or Active means TSCA active

California Prop. 65

ethylene glycol (CAS 107-21-1)

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

Classification

Eye Irrit. 2, H319

Classi	fication	Justification
Eye Irrit. 2, H319		Calculation method
Full text of abbreviated H statements	: H318 H319 H400 H412	Causes serious eye damage. Causes serious eye irritation. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Full text of classifications	: Aquatic Acute 1 Aquatic Chronic 3 Eye Dam. 1 Eye Irrit. 2	AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Date of printing	: 13/04/2021	
Date of issue/ Date of revision	: 18/02/2021	
Version Issued/Revised	: 6.05 : Agnieszka Leopold	

.

Product Safety & Regulations e-mail: psr@kao.es

Form

: KCE - SDS (lm:b9u4:8h9) 4.8

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.