P Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
969026	

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : STYLEZE™ ES-DURA

™ Trademark, Ashland or its subsidiaries, registered in

various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Cosmetics

Personal care

Details of the supplier of the safety data sheet
Ashland
P.O. Box 2219
Columbus, OH 43216
United States of America (USA)
1-614-790-3333 (USA)

EHSProductSafety@ashland.com

Emergency telephone number
1-800-ASHLAND (1-800-274-5263)

Regulatory information
1-614-790-3333 (customer service)

Product Information
1-614-790-3333 (USA)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS label elements

Hazard pictograms

Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : **Prevention:**

P Ashland always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
969026	

Wash skin thoroughly after handling. Wear eye protection/ face protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If eye irritation persists: Get medical advice/ attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
CATIONIC GUAR GUM,	65497-29-2	Comb Dust	92.1931
MODIFIED		Eye Irrit. 2A; H319	

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

P Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
969026	

Most important symptoms and effects, both acute and

delayed

: Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways) Causes serious eye irritation.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray Foam

Unsuitable extinguishing

media

: High volume water jet

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide Hydrocarbons

Specific extinguishing

methods

:

Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation. Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent product from entering drains.

Ashland always solving Solving	Page: 4
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA ™ Trademark, Ashland or its subsidiaries, registered in various countries 969026	Version: 1.1

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Avoid dust formation.

Take measures to prevent the build up of electrostatic charge. Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid dust formation.

Do not breathe vapours/dust.

Do not smoke.

Container hazardous when empty. Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Further information on

storage stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Components	CAS-No.
CATIONIC GUAR GUM,	65497-29-2

Ashland always solving ™	Page: 5
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA ™ Trademark, Ashland or its subsidiaries, registered in various countries 969026	Version: 1.1

MODIFIED

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust

is formed.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety glasses

Skin and body protection : Wear resistant gloves (consult your safety equipment

supplier).

Wear as appropriate:

Safety shoes

Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Avoid breathing dust.

Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

**Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA ™ Trademark, Ashland or its subsidiaries, registered in various countries 969026	Version: 1.1

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Physical state : solid

Colour : No data available

Odour : slight

Odour Threshold : Not applicable

pH : 8 - 11

Concentration: 100 %

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Flammability (liquids)

Flammability (liquids) : not determined

Upper explosion limit : Upper explosion limit

not determined

Lower explosion limit : Lower explosion limit

not determined

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : not determined

Solubility(ies)

Water solubility : not determined

P Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
969026	

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: not determined

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Oxidizing properties : Not applicable

Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat

UV light.

Exposure to sunlight.

Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Acids

Oxidizing agents

reactive metals such as aluminum and magnesium

Hazardous decomposition

products

Carbon monoxide

Carbon dioxide (CO2)

Hydrocarbons Acetone

P Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
969026	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation exposure Skin contact

Eye contact Ingestion

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

CATIONIC GUAR GUM, MODIFIED:

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Product dust may be irritating to eyes, skin and respiratory system., Causes serious eye irritation.

Components:

CATIONIC GUAR GUM, MODIFIED:

Result: Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Ashland always solving Solving	Page: 9
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA ™ Trademark, Ashland or its subsidiaries, registered in various countries 969026	Version: 1.1

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Acute aquatic toxicity Category 3; Harmful to aquatic life.

Long-term (chronic) aquatic

hazard

: Not classified based on available information.

Components:

CATIONIC GUAR GUM, MODIFIED:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 54 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae : NOEC (blue-green algae): > 100 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Method: OECD Test Guideline 201

GLP: yes

Persistence and degradability

Components:

**Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
969026	

CATIONIC GUAR GUM, MODIFIED:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 95 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Remarks: Information given is based on data obtained from

similar substances.

No data available

Bioaccumulative potential

Components:
No data available
Mobility in soil
Components:
No data available
Other adverse effects
No data available

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal., Harmful to aquatic life.

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Dispose of in accordance with all applicable local, state and

federal regulations.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

	1 1			
**Ashland always solving				Page: 11
SAFETY DATA SHEET			Revisi	on Date: 03/10/2022
				Print Date: 4/29/2022
STYLEZE™ ES-DURA ™ Trademark, Ashland or its subsidiaries, registered in various countries 969026			SDS Nur	nber: 000000308024 Version: 1.1
DECLU ATION				
	AZARD ASS	SUBSIDIAR HAZARDS	Y PACKING GROUP	G MARINE POLLUTANT / LTD. QTY.
U.S. DOT - ROAD				
Not dangerous goods				
CFR_RAIL_C Not dangerous goods				-
U.S. DOT - INLAND WATERWAYS Not dangerous goods				
TDG_ROAD_C Not dangerous goods				
TDG_RAIL_C				
Not dangerous goods				
TDG_INWT_C				
Not dangerous goods				
INTERNATIONAL MARITIME DANGEROUS GOODS				
Not dangerous goods				
INTERNATIONAL AIR TRANSPORT ASSOCIATION Not dangerous goods	CARC	30		
inot dangerous goods				
INTERNATIONAL AIR TRANSPORT ASSOCIATION	PASS	SENGER		
Not dangerous goods				
MX_DG				
Not dangerous goods				
*OPM - OPM D CRI - COMPUSTIBLE LIQUID				

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
969026	

Marine pollutant	no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
SODIUM HYDROXIDE	1310-73-2	1000	245098

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Pennsylvania Right To Know

CATIONIC GUAR GUM, MODIFIED 65497-29-2

WATER 7732-18-5

New Jersey Right To Know

CATIONIC GUAR GUM, MODIFIED 65497-29-2

WATER 7732-18-5

Ashland always solving	Page: 13
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
969026	

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : For Cosmetic Use Only

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

Other regulations


US. Drug Enforcement Administration (DEA) Listed Precursor and Essential Chemicals (21 CFR 1310) Not applicable

SECTION 16. OTHER INFORMATION

Further information

Ashland always solving ™	Page: 14
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA	Version: 1.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
969026	

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of H-Statements

H319 Causes serious eye irritation.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -

Ashland always solving	Page: 15
SAFETY DATA SHEET	Revision Date: 03/10/2022
	Print Date: 4/29/2022
	SDS Number: 000000308024
STYLEZE™ ES-DURA ™ Trademark, Ashland or its subsidiaries, registered in various countries 969026	Version: 1.1

National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This sds has been prepared by Ashland. (http://www.ashland.com)

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

European Union Law with content from the Official Journal of the European Union.

European Chemicals Agency; the EU authority implementing the EU's chemicals legislation for companies.

The German Water Hazard Classes.

ReachCentrum; a series of support services to help comply with REACH regulations.

The European Commission; proposing legislation,

administering and implementing EU policies, and enforcing

EU law.

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Cefic, the European Chemical Industry Council.

ESIS European Chemical Substances Information System

Revision Date : 03/10/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN